

OCTOBER 2022



Light up
the world bright.

THE MOST
IMPORTANT
THING IS TO
ENJOY
YOUR LIFE,
TO **BE HAPPY,**
IT'S ALL THAT
MATTERS.

- Audrey Hepburn



Elements
of absolute radiance,
crafted to delight.



Research suggests that lights play an important role in our well-being. Exposure to natural light affects our energy, mood, sleep and overall quality of life. However, due to the modern lifestyle, optimal exposure to natural light becomes difficult. Even when it comes to our interiors, it is said that an adequate amount of light improves energy levels while inadequate or dull lighting may add to depression and other deficiencies in the body. The type of light and its luminance affects other aspects of daily life like concentration, appetite and many others. So to cater to lighting requirements that help alleviate our mood, Kolors brings to you a range of LED lights that's just the right blend of everything required to uplift your mood through efficient lighting and make you happy.

Introducing

Happy Lighting

By



At Kolors, the unsatiated desire to innovate is what keeps us going relentlessly in our journey of surpassing excellence and achieving perfection. Taking the journey of beautifying lives a little farther, we bring to you a new offering – Kolors LED lighting. A concoction of the finest designs, world-class materials and advanced technology, this range of LED lighting is conceived to offer lighting solutions that are superior and sustainable. Perfected to the finest details, these products undergo rigorous quality checks at our in-house state-of-the-art laboratory where they are tested by a full-fledged Research & Development department. Crafted to let you embrace a world adorned with unmatched brightness, these are just what you need to light up your spaces with Happy Lighting!



Panel Light | Down Light | COB | Spot Light | Street Light | Flood Light | Bulb | Batten Light | LED Strip | Bulkhead

Driven by **innovation**, measured by **trust**.

At Kolors, our unmatched focus on quality, finesse in execution and varied range has helped us establish ourselves at the forefront of the industry. Today, we hold great pride in being the creators of international quality products that are conceived, designed and manufactured in India.

It was in the year 1970 when Kolors was established as a small trading company that traded electrical wiring accessories in India. During its course, the company gradually laid its foot in the arena of manufacturing electrical switches and fixtures for homes, offices, factories, airports and hotels. Today, Kolors has made a mark in the industry by manufacturing all types of switches, sockets, accessories, MCBs, LED Lighting products, plug tops, wires & cables, lamp holders, doorbells, distribution boxes, home automation and mounting boxes for every imaginable market segment.



With 5 state-of-the-art manufacturing plants, 12 Depots, 5000 plus Channel Partners, more than 1500 plus strong workforce and more than 5000 products, Kolors has achieved a pan-India presence making international standard products accessible to a sizeable audience.

The pursuit of quality, sophistication and style drives us in our journey towards the peak of the industry. With a wide range of products, we offer something that would suit every style of living. Our innovation-led approach and proficiency have helped us provide world-class quality products that reflect grandeur living and sheer class. The outcome of our endeavour has been truly rewarding – being honoured with the India Design Mark twice.



नवीनता g à[àV, विश्वास Úmam _mm J`m &

“कलर्स” में, गुणवत्ता पर हमारा बेजोड़ फोकस, निष्पादन में सूक्ष्मता और विविध श्रेणी ने हमें उद्योग में सबसे आगे स्थापित करने में मदद की है। आज हम अंतर्राष्ट्रीय गुणवत्ता वाले उत्पादों के निर्माता होने में गर्व महसूस करते हैं, जिनकी कल्पना, डिज़ाइन एवं निर्मितता भारत में ही की गई है।



यह बात १९७० की है जब “कलर्स” ने एक छोटी सी व्यापारिक कंपनी को स्थापित किया, जो कि इलेक्ट्रीकल वायरिंग एक्सेसरीज़ में व्यापार करती थी। अपनी कार्यप्रणाली के दौरान इस समूह ने धीरे-धीरे घरों, कारखानों, कारखानों, हवाई अड्डों और होटलों के लिए इलेक्ट्रीकल स्विचों और एक्सेसरीज़ उत्पादन के क्षेत्र में अपने कदम रखे। आज, “कलर्स” ने हर बाजार खंड के लिए सभी प्रकार के स्विच, सॉकेट, एक्सेसरीज़, एमसीबी, एलईडी लाइटिंग, प्लग टॉप, वायर, लैम्प होल्डर, डोर बेल, माउंटिंग बॉक्स और घर स्वचालन उत्पाद के निर्माण से उद्योग जगत में अपना एक स्थान बनाया है।

५ अत्याधुनिक उत्पादन प्लांट्स, १२ डिपो, ५००० से अधिक चैनल पार्टनर्स, १५०० से ज्यादा कर्मठ कर्मचारियों और ५००० से ज्यादा प्रोडक्ट्स के साथ “कलर्स” पूरे भारत में मौजूद है और अनगिनत लोगों को विश्वस्तरीय उत्पाद प्रदान कर रहा है।

गुणवत्ता, परिष्कार और शैली का अनुसरण हमें उद्योग के शीर्ष की ओर ले जाता है। हमारे उत्पादों की विस्तृत श्रृंखला कुछ ऐसा प्रदान करती है जो जीवन की हर शैली के अनुरूप हो। हमारी नई खोज, अग्रणी दृष्टिकोण और प्रवीणता ने हमें विश्व स्तरीय गुणवत्ता वाले उत्पाद प्रदान करने में मदद की है, जो भव्य जीवनशैली और विशेष श्रेणी को दर्शाती है। हमारे प्रयासों का नतीजा वास्तव में पुरस्कृत हुआ है जैसे – भारत डिजाइन मार्क से दो बार सम्मानित होना।



INDEX

CLICK ON THE PAGE NUMBER TO OPEN THE PAGE

PANEL LIGHT

Kyle	02
Klara	07
Karis	11
Karis Trio	15
Keeto	18
Keeto 2x2	22

DOWN LIGHT / JUNCTION BOX LIGHT

Karis	24
Karis Trio	25
Klair	32
Krysta	33
Klay	33
Kute	33
Kute 2.0	37
Kute 2.0 Trio	37
Kenzo	47

SPOT LIGHT

Karis	27
Kornet	39
Kornet 2.0	41
Karat	43
Kandy	45
Kandy 2.0	46

BULKHEAD

Igloo	47
Boat	47

STRIP LIGHT

Kove	49
------------	----

BULB

Keeto B22	54
Keeto Inverter	53
Nano	54
Keeto E27	55
Kandle	57
KBall	59
Kate T-Bulb	61

BATTEN LIGHT

Karis	63
Karis Trio	63
Kosmik	65
Komet	65
NYX	65

STREET LIGHT

Kythe 1.0	66
Kanon	68

FLOOD LIGHT

Karis	70
Kanon	72

LIVE ECO-FRIENDLY IN A FUTURISTIC LIFE.

Now it's easier to follow your agenda of environmental responsibility. To begin with, eco-friendly LED lights are energy-efficient due to the design of the fixture and device. Apart from being non-toxic and made from recyclable material, these lights do not emit ultraviolet radiation.



WARM White

Uplifting Mood

Vibrant
Welcoming

3000K

NATURAL White

Enhancing Aura

Pleasant
Refreshing

4000K

Comforting Ambience

Soothing
Blissful

6500K

Know your LED well to
set the mood of your spaces right.

Every light affects our mood differently. The warm white light with 3000K lends a cosy and welcoming ambience to the space. The natural white light with 4000K colour temperature is brighter and suitable for living rooms, commercial spaces or other spaces with aesthetic settings. Cool white light with 6500K colour temperature lends a radiant look to your spaces making the aura more vivid.



Vivid **imagination**
spendily designed.



Designed to reflect the matchless style, these panel lights with high lumen value offer efficient and uniform brightness to your spaces. The narrow rim edges and in-built driver make it easy to install and ensures that it is at par with electrical safety standards. Crafted to be used for ambient lighting, these are sturdy and long-lasting.



Switch on a brighter life.



FEATURES:

- Available in Cool White (6500K)
Natural White (4000K) & Warm White (3000K)
- Recessed Type
- Non-isolated Driver, Efficiency: >80%
- Total Harmonic Distortion (THD%): <15%
- Housing Material & Diffuser Type: Engineering Plastic
- 4-stage Electrical Protection:
 - Over Voltage
 - Under Voltage
 - Short Circuit
 - Open Circuit



In-built Driver



Superior Surge
Protection 2.5KV



Wide Voltage
Range 100 - 300 V~



Beam Angle
120°



IP20

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KYLE PANEL LIGHT SLIM-ROUND										
	2409PL06R WW	6W	3000K	>0.9	120°	>80	Φ120*22.5	Φ 98	725.00	01/40
	2409PL06R NW	6W	4000K	>0.9	120°	>80	Φ120*22.5	Φ 98	725.00	01/40
	2409PL06R CW	6W	6500K	>0.9	120°	>80	Φ120*22.5	Φ 98	725.00	01/40
	2409PL10R WW	10W	3000K	>0.9	120°	>80	Φ145*22.5	Φ 125	940.00	01/40
	2409PL10R NW	10W	4000K	>0.9	120°	>80	Φ145*22.5	Φ 125	940.00	01/40
	2409PL10R CW	10W	6500K	>0.9	120°	>80	Φ145*22.5	Φ 125	940.00	01/40
	2409PL15R WW	15W	3000K	>0.9	120°	>80	Φ170*22.5	Φ 150	1125.00	01/40
	2409PL15R NW	15W	4000K	>0.9	120°	>80	Φ170*22.5	Φ 150	1125.00	01/40
	2409PL15R CW	15W	6500K	>0.9	120°	>80	Φ170*22.5	Φ 150	1125.00	01/40
	2409PL20R WW	20W	3000K	>0.9	120°	>80	Φ225*22.5	Φ 205	1525.00	01/40
	2409PL20R NW	20W	4000K	>0.9	120°	>80	Φ225*22.5	Φ 205	1525.00	01/40
	2409PL20R CW	20W	6500K	>0.9	120°	>80	Φ225*22.5	Φ 205	1525.00	01/40
KYLE PANEL LIGHT SLIM-SQUARE										
	2409PL06S WW	6W	3000K	>0.9	120°	>80	120*120*22.5	98*98	725.00	01/40
	2409PL06S NW	6W	4000K	>0.9	120°	>80	120*120*22.5	98*98	725.00	01/40
	2409PL06S CW	6W	6500K	>0.9	120°	>80	120*120*22.5	98*98	725.00	01/40
	2409PL10S WW	10W	3000K	>0.9	120°	>80	145*145*22.5	125*125	940.00	01/40
	2409PL10S NW	10W	4000K	>0.9	120°	>80	145*145*22.5	125*125	940.00	01/40
	2409PL10S CW	10W	6500K	>0.9	120°	>80	145*145*22.5	125*125	940.00	01/40
	2409PL15S WW	15W	3000K	>0.9	120°	>80	170*170*22.5	150*150	1125.00	01/40
	2409PL15S NW	15W	4000K	>0.9	120°	>80	170*170*22.5	150*150	1125.00	01/40
	2409PL15S CW	15W	6500K	>0.9	120°	>80	170*170*22.5	150*150	1125.00	01/40
	2409PL20S WW	20W	3000K	>0.9	120°	>80	225*225*22.5	205*205	1525.00	01/40
	2409PL20S NW	20W	4000K	>0.9	120°	>80	225*225*22.5	205*205	1525.00	01/40
	2409PL20S CW	20W	6500K	>0.9	120°	>80	225*225*22.5	205*205	1525.00	01/40
KYLE 2.0 PANEL LIGHT SLIM-ROUND										
	2410PL06R WW	6W	3000K	>0.9	120°	>80	Φ110*22.5	Φ 98	700.00	01/40
	2410PL06R CW	6W	6500K	>0.9	120°	>80	Φ110*22.5	Φ 98	700.00	01/40
	2410PL10R WW	10W	3000K	>0.9	120°	>80	Φ145*22.5	Φ 125	915.00	01/40
	2410PL10R CW	10W	6500K	>0.9	120°	>80	Φ145*22.5	Φ 125	915.00	01/40
	2410PL15R WW	15W	3000K	>0.9	120°	>80	Φ170*22.5	Φ 150	1080.00	01/40
	2410PL15R CW	15W	6500K	>0.9	120°	>80	Φ170*22.5	Φ 150	1080.00	01/40
	2410PL20R WW	20W	3000K	>0.9	120°	>80	Φ225*22.5	Φ 205	1475.00	01/40
	2410PL20R CW	20W	6500K	>0.9	120°	>80	Φ225*22.5	Φ 205	1475.00	01/40

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER


 MAINTENANCE
FREE

 ZERO
MERCURY



KLARA

PANEL LIGHT



Stylish and ultra-modern, these rimless LED panel lights radiate light even from the corners, spreading uniform brightness across your interiors. Made to cater to a range of requirements, these come with an adjustable clip offering the flexibility of application. Made with the finest materials and absolute attention to precision these best-in-class LEDs are high on energy-saving, environment-friendly and durable.



KLARA

PANEL LIGHT

Light up
your spaces,
all sides at once.



FEATURES:


- Available in Warm White (3000K)
Natural White (4000K) & Cool White (6500K)
- Recessed & Surface (Separate Ring) Type
- Non-isolated Driver, Efficiency: >80%
- Total Harmonic Distortion (THD%): <15%
- Housing Material & Diffuser Type: Engineering Plastic
- 4-stage Electrical Protection:
 - Over Voltage
 - Under Voltage
 - Short Circuit
 - Open Circuit




Rimless design



Lit edges



Adjustable clips



Easy installation



In-built Driver



Superior Surge
Protection 2.5KV



Wide Voltage
Range 100 - 300 V~



Beam Angle



IP20

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KLARA PANEL LIGHT (RIMLESS) ROUND										
	2405PL12R WW	12W	3000K	>0.9	120°	>80	Φ120*30	Φ 75-100	1075.00	01/40
	2405PL12R NW	12W	4000K	>0.9	120°	>80	Φ120*30	Φ 75-100	1075.00	01/40
	2405PL12R CW	12W	6500K	>0.9	120°	>80	Φ120*30	Φ 75-100	1075.00	01/40
	2405PL18R WW	18W	3000K	>0.9	120°	>80	Φ170*32	Φ 75-150	1450.00	01/20
	2405PL18R NW	18W	4000K	>0.9	120°	>80	Φ170*32	Φ 75-150	1450.00	01/20
	2405PL18R CW	18W	6500K	>0.9	120°	>80	Φ170*32	Φ 75-150	1450.00	01/20
	2405PL24R WW	24W	3000K	>0.9	120°	>80	Φ223*32	Φ 75-200	1800.00	01/20
	2405PL24R NW	24W	4000K	>0.9	120°	>80	Φ223*32	Φ 75-200	1800.00	01/20
	2405PL24R CW	24W	6500K	>0.9	120°	>80	Φ223*32	Φ 75-200	1800.00	01/20

KLARA PANEL LIGHT (RIMLESS) SQUARE										
	2405PL12S WW	12W	3000K	>0.9	120°	>80	120*120*30	Φ 75-100	1125.00	01/40
	2405PL12S NW	12W	4000K	>0.9	120°	>80	120*120*30	Φ 75-100	1125.00	01/40
	2405PL12S CW	12W	6500K	>0.9	120°	>80	120*120*30	Φ 75-100	1125.00	01/40
	2405PL18S WW	18W	3000K	>0.9	120°	>80	170*170*32	Φ 75-150	1500.00	01/20
	2405PL18S NW	18W	4000K	>0.9	120°	>80	170*170*32	Φ 75-150	1500.00	01/20
	2405PL18S CW	18W	6500K	>0.9	120°	>80	170*170*32	Φ 75-150	1500.00	01/20
	2405PL24S WW	24W	3000K	>0.9	120°	>80	223*223*32	Φ 75-200	1850.00	01/20
	2405PL24S NW	24W	4000K	>0.9	120°	>80	223*223*32	Φ 75-200	1850.00	01/20
	2405PL24S CW	24W	6500K	>0.9	120°	>80	223*223*32	Φ 75-200	1850.00	01/20

	Code	Particular	Dimension	MRP ₹/U	Pack
KLARA PANEL LIGHT SURFACE FRAME-ROUND					
	2405PL12R	12W Surface Frame Round LED Panel Light	Φ120*30	185.00	01/40
	2405PL18R	18W Surface Frame Round LED Panel Light	Φ170*30	300.00	01/40
	2405PL24R	24W Surface Frame Round LED Panel Light	Φ225*30	380.00	01/40

KLARA PANEL LIGHT SURFACE FRAME-SQUARE					
	2405PL12S	12W Surface Frame Square LED Panel Light	120*120*30	185.00	01/40
	2405PL18S	18W Surface Frame Square LED Panel Light	170*170*30	300.00	01/40
	2405PL24S	24W Surface Frame Square LED Panel Light	225*225*30	380.00	01/40

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY



Illuminating absolute brilliance.

Premium category LED panel lights meticulously crafted to add fine details to your interiors and add to its beauty, these offer uniform brightness and unmatched quality. Catering to varied requirements as per your choice of decor, these blend seamlessly well with every style and flawlessly complement your taste.



KARIS

PANEL LIGHT

Minimalistic, compact and sophisticated, these panels with a high lumen value offer efficient and uniform brightness to your spaces. Energy-efficient and enduring, these are at par with electrical safety standards. Designed to cater to a range of requirements, these add a dash of warmth to the spaces they adorn.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KARIS PANEL LIGHT-ROUND										
	2402PL03R WW	3W	3000K	>0.5	120°	>80	Φ 82*36	Φ 60	435.00	01/60
	2402PL03R NW	3W	4000K	>0.5	120°	>80	Φ 82*36	Φ 60	435.00	01/60
	2402PL03R CW	3W	6500K	>0.5	120°	>80	Φ 82*36	Φ 60	435.00	01/60
	2402PL06R WW	6W	3000K	>0.9	120°	>80	Φ 116*36	Φ 95	565.00	01/40
	2402PL06R NW	6W	4000K	>0.9	120°	>80	Φ 116*36	Φ 95	565.00	01/40
	2402PL06R CW	6W	6500K	>0.9	120°	>80	Φ 116*36	Φ 95	565.00	01/40
	2402PL09R WW	9W	3000K	>0.9	120°	>80	Φ 116*36	Φ 95	725.00	01/40
	2402PL09R NW	9W	4000K	>0.9	120°	>80	Φ 116*36	Φ 95	725.00	01/40
	2402PL09R CW	9W	6500K	>0.9	120°	>80	Φ 116*36	Φ 95	725.00	01/40
	2402PL12R WW	12W	3000K	>0.9	120°	>80	Φ 166*36	Φ 145	870.00	01/40
	2402PL12R NW	12W	4000K	>0.9	120°	>80	Φ 166*36	Φ 145	870.00	01/40
	2402PL12R CW	12W	6500K	>0.9	120°	>80	Φ 166*36	Φ 145	870.00	01/40
	2402PL15R WW	15W	3000K	>0.9	120°	>80	Φ 166*36	Φ 145	1000.00	01/40
	2402PL15R NW	15W	4000K	>0.9	120°	>80	Φ 166*36	Φ 145	1000.00	01/40
	2402PL15R CW	15W	6500K	>0.9	120°	>80	Φ 166*36	Φ 145	1000.00	01/40
	2402PL18R WW	18W	3000K	>0.9	120°	>80	Φ 220*36	Φ 200	1200.00	01/40
	2402PL18R NW	18W	4000K	>0.9	120°	>80	Φ 220*36	Φ 200	1200.00	01/40
	2402PL18R CW	18W	6500K	>0.9	120°	>80	Φ 220*36	Φ 200	1200.00	01/40
	2402PL22R WW	22W	3000K	>0.9	120°	>80	Φ 220*36	Φ 200	1500.00	01/40
	2402PL22R NW	22W	4000K	>0.9	120°	>80	Φ 220*36	Φ 200	1500.00	01/40
	2402PL22R CW	22W	6500K	>0.9	120°	>80	Φ 220*36	Φ 200	1500.00	01/40

KARIS PANEL LIGHT-SQUARE										
	2402PL03S WW	3W	3000K	>0.5	120°	>80	82*82*36	60*60	435.00	01/60
	2402PL03S NW	3W	4000K	>0.5	120°	>80	82*82*36	60*60	435.00	01/60
	2402PL03S CW	3W	6500K	>0.5	120°	>80	82*82*36	60*60	435.00	01/60
	2402PL06S WW	6W	3000K	>0.9	120°	>80	116*116*36	95*95	565.00	01/40
	2402PL06S NW	6W	4000K	>0.9	120°	>80	116*116*36	95*95	565.00	01/40
	2402PL06S CW	6W	6500K	>0.9	120°	>80	116*116*36	95*95	565.00	01/40
	2402PL09S WW	9W	3000K	>0.9	120°	>80	116*116*36	95*95	725.00	01/40
	2402PL09S NW	9W	4000K	>0.9	120°	>80	116*116*36	95*95	725.00	01/40
	2402PL09S CW	9W	6500K	>0.9	120°	>80	116*116*36	95*95	725.00	01/40
	2402PL12S WW	12W	3000K	>0.9	120°	>80	166*166*36	145*145	870.00	01/40
	2402PL12S NW	12W	4000K	>0.9	120°	>80	166*166*36	145*145	870.00	01/40
	2402PL12S CW	12W	6500K	>0.9	120°	>80	166*166*36	145*145	870.00	01/40
	2402PL15S WW	15W	3000K	>0.9	120°	>80	166*166*36	145*145	1000.00	01/40
	2402PL15S NW	15W	4000K	>0.9	120°	>80	166*166*36	145*145	1000.00	01/40
	2402PL15S CW	15W	6500K	>0.9	120°	>80	166*166*36	145*145	1000.00	01/40
	2402PL18S WW	18W	3000K	>0.9	120°	>80	220*220*36	200*200	1200.00	01/40
	2402PL18S NW	18W	4000K	>0.9	120°	>80	220*220*36	200*200	1200.00	01/40
	2402PL18S CW	18W	6500K	>0.9	120°	>80	220*220*36	200*200	1200.00	01/40
	2402PL22S WW	22W	3000K	>0.9	120°	>80	220*220*36	200*200	1500.00	01/40
	2402PL22S NW	22W	4000K	>0.9	120°	>80	220*220*36	200*200	1500.00	01/40
	2402PL22S CW	22W	6500K	>0.9	120°	>80	220*220*36	2008200	1500.00	01/40

	Code	Particular	Dimension	MRP ₹/U	Pack
KARIS PANEL LIGHT SURFACE FRAME-ROUND					
	2402SF09R	6W / 9W Surface Frame Round LED Panel Light	Φ120*38.5	160.00	05
	2402SF15R	12W / 15W Surface Frame Round LED Panel Light	Φ172*38.5	225.00	05
	2402SF22R	18W / 22W Surface Frame Round LED Panel Light	Φ230*38.5	325.00	05

KARIS PANEL LIGHT SURFACE FRAME-SQUARE					
	2402SF09S	6W / 9W Surface Frame Square LED Panel Light	120*120*38.5	160.00	05
	2402SF15S	12W / 15W Surface Frame Square LED Panel Light	172*172*38.5	225.00	05
	2402SF22S	18W / 22W Surface Frame Square LED Panel Light	230*230*38.5	325.00	05

All dimensions in mm

The background of the advertisement features a dark gray surface with a repeating pattern of light gray, horizontally-oriented oval shapes. Four Karis Panel Lights are shown: a square panel in the top left, a circular panel in the top right, a rectangular panel in the bottom left, and another circular panel in the bottom right. The square and rectangular panels are white with a recessed light area, while the circular panels are silver with a recessed light area. The text 'KARIS PANEL LIGHT' is positioned in the middle left, with an orange square to its left. A paragraph of descriptive text is located in the center, and the 'INDEX' and page number '13' are in the bottom right corner.

KARIS

PANEL LIGHT

Designed to illuminate every corner uniformly, these sleek LED panels are made with materials that provide an excellent thermal condition for the long life of the lights. Crafted to uniformly illuminate any space it adorns these panel lights are energy-efficient and durable. Best suited for usage in commercial applications these lights are high on safety and easy to install.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KARIS SURFACE PANEL LIGHT-ROUND									
	2403PL06R WW	6W	3000K	>0.9	120°	>80	Φ 116*36	690.00	01/40
	2403PL06R NW	6W	4000K	>0.9	120°	>80	Φ 116*36	690.00	01/40
	2403PL06R CW	6W	6500K	>0.9	120°	>80	Φ 116*36	690.00	01/40
	2403PL09R WW	9W	3000K	>0.9	120°	>80	Φ 116*36	870.00	01/40
	2403PL09R NW	9W	4000K	>0.9	120°	>80	Φ 116*36	870.00	01/40
	2403PL09R CW	9W	6500K	>0.9	120°	>80	Φ 116*36	870.00	01/40
	2403PL12R WW	12W	3000K	>0.9	120°	>80	Φ 166*36	1025.00	01/40
	2403PL12R NW	12W	4000K	>0.9	120°	>80	Φ 166*36	1025.00	01/40
	2403PL12R CW	12W	6500K	>0.9	120°	>80	Φ 166*36	1025.00	01/40
	2403PL15R WW	15W	3000K	>0.9	120°	>80	Φ 166*36	1160.00	01/40
	2403PL15R NW	15W	4000K	>0.9	120°	>80	Φ 166*36	1160.00	01/40
	2403PL15R CW	15W	6500K	>0.9	120°	>80	Φ 166*36	1160.00	01/40
	2403PL18R WW	18W	3000K	>0.9	120°	>80	Φ 220*36	1475.00	01/40
	2403PL18R NW	18W	4000K	>0.9	120°	>80	Φ 220*36	1475.00	01/40
	2403PL18R CW	18W	6500K	>0.9	120°	>80	Φ 220*36	1475.00	01/40
	2403PL22R WW	22W	3000K	>0.9	120°	>80	Φ 220*36	1825.00	01/40
	2403PL22R NW	22W	4000K	>0.9	120°	>80	Φ 220*36	1825.00	01/40
	2403PL22R CW	22W	6500K	>0.9	120°	>80	Φ 220*36	1825.00	01/40
KARIS SURFACE PANEL LIGHT-SQUARE									
	2403PL06S WW	6W	3000K	>0.9	120°	>80	116*116*36	690.00	01/40
	2403PL06S NW	6W	4000K	>0.9	120°	>80	116*116*36	690.00	01/40
	2403PL06S CW	6W	6500K	>0.9	120°	>80	116*116*36	690.00	01/40
	2403PL09S WW	9W	3000K	>0.9	120°	>80	116*116*36	870.00	01/40
	2403PL09S NW	9W	4000K	>0.9	120°	>80	116*116*36	870.00	01/40
	2403PL09S CW	9W	6500K	>0.9	120°	>80	116*116*36	870.00	01/40
	2403PL12S WW	12W	3000K	>0.9	120°	>80	166*166*36	1025.00	01/40
	2403PL12S NW	12W	4000K	>0.9	120°	>80	166*166*36	1025.00	01/40
	2403PL12S CW	12W	6500K	>0.9	120°	>80	166*166*36	1025.00	01/40
	2403PL15S WW	15W	3000K	>0.9	120°	>80	166*166*36	1160.00	01/40
	2403PL15S NW	15W	4000K	>0.9	120°	>80	166*166*36	1160.00	01/40
	2403PL15S CW	15W	6500K	>0.9	120°	>80	166*166*36	1160.00	01/40
	2403PL18S WW	18W	3000K	>0.9	120°	>80	220*220*36	1475.00	01/40
	2403PL18S NW	18W	4000K	>0.9	120°	>80	220*220*36	1475.00	01/40
	2403PL18S CW	18W	6500K	>0.9	120°	>80	220*220*36	1475.00	01/40
	2403PL22S WW	22W	3000K	>0.9	120°	>80	220*220*36	1825.00	01/40
	2403PL22S NW	22W	4000K	>0.9	120°	>80	220*220*36	1825.00	01/40
	2403PL22S CW	22W	6500K	>0.9	120°	>80	220*220*36	1825.00	01/40

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY

Introducing

KARIS trio

PANEL LIGHT

NATURAL WHITE

WARM WHITE

COOL WHITE

This 3-in-1 panel LED light is thoughtfully designed to turn your spaces into different moods. Offering an ideal setting for each occasion, these stunning pieces of accessories will give your interiors a touch of radiance that's unmatched.



Available in 6W, 9W, 12W & 15W



**3-IN-1 COLOUR
CHANGING**

Changes colour by clicking
the switch OFF & ON



Complement different shades of your mood with cool, warm and natural lights with Karis Trio LED panels. Aesthetically designed to uplift your spaces, these panels are fluctuation proof and provide a wide beam angle. While these stay lit for amazingly long hours, they are suitable for both residential and commercial spaces.

Introducing

KARIS trio

PANEL LIGHT

3-in-1 Colour Changing Light
Available in 6W, 9W, 12W & 15W

Changes colour by
clicking the switch
OFF & ON

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KARIS TRIO 3-IN-1 COLOUR CHANGING PANEL LIGHT-ROUND											NEW
	2402PL06R (3-in-1)	6W	3000K 4000K 6500K	>0.9	120°	>80	Φ 116*36	Φ 95	650.00	01/40	
	2402PL09R (3-in-1)	9W	3000K 4000K 6500K	>0.9	120°	>80	Φ 116*36	Φ 95	800.00	01/40	
	2402PL12R (3-in-1)	12W	3000K 4000K 6500K	>0.9	120°	>80	Φ 172*38	Φ 146	1050.00	01/40	
	2402PL15R (3-in-1)	15W	3000K 4000K 6500K	>0.9	120°	>80	Φ 172*38	Φ 146	1125.00	01/40	
KARIS TRIO 3-IN-1 COLOUR CHANGING PANEL LIGHT-SQUARE											NEW
	2402PL06S (3-in-1)	6W	3000K 4000K 6500K	>0.9	120°	>80	116*116*36	95*95	650.00	01/40	
	2402PL09S (3-in-1)	9W	3000K 4000K 6500K	>0.9	120°	>80	116*116*36	95*95	800.00	01/40	
	2402PL12S (3-in-1)	12W	3000K 4000K 6500K	>0.9	120°	>80	172*172*38	146*146	1050.00	01/40	
	2402PL15S (3-in-1)	15W	3000K 4000K 6500K	>0.9	120°	>80	172*172*38	146*146	1125.00	01/40	
KARIS TRIO 3-IN-1 COLOUR CHANGING SURFACE PANEL LIGHT-ROUND											NEW
	2403PL06R (3-in-1)	6W	3000K 4000K 6500K	>0.9	120°	>80	Φ 116*36	-	785.00	01/40	
	2403PL09R (3-in-1)	9W	3000K 4000K 6500K	>0.9	120°	>80	Φ 116*36	-	955.00	01/40	
	2403PL12R (3-in-1)	12W	3000K 4000K 6500K	>0.9	120°	>80	Φ 166*36	-	1215.00	01/40	
	2403PL15R (3-in-1)	15W	3000K 4000K 6500K	>0.9	120°	>80	Φ 166*36	-	1295.00	01/40	
KARIS TRIO 3-IN-1 COLOUR CHANGING SURFACE PANEL LIGHT-SQUARE											NEW
	2403PL06S (3-in-1)	6W	3000K 4000K 6500K	>0.9	120°	>80	116*116*36	-	785.00	01/40	
	2403PL09S (3-in-1)	9W	3000K 4000K 6500K	>0.9	120°	>80	116*116*36	-	955.00	01/40	
	2403PL12S (3-in-1)	12W	3000K 4000K 6500K	>0.9	120°	>80	166*166*36	-	1215.00	01/40	
	2403PL15S (3-in-1)	15W	3000K 4000K 6500K	>0.9	120°	>80	166*166*36	-	1295.00	01/40	

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY



KEETO

PANEL LIGHT

Contemporary, stylish and smart these are an ideal fit for every modern space. Made to cater to a range of requirements, these let you embrace a brighter world with no compromise on style. Its uniform and consistent brightness makes it suitable for indoor application. High on energy efficiency, these panel lights have a long life and are optimally safe.




	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KEETO SLIM ALUMINIUM RECESSED PANEL LIGHT-ROUND										
	NEW 2204PL03R WW	3W	3000K	>0.9	120°	>80	Φ 85*24	Φ 75	435.00	01/40
	2204PL03R NW	3W	4000K	>0.9	120°	>80	Φ 85*24	Φ 75	435.00	01/40
	2204PL03R CW	3W	6500K	>0.9	120°	>80	Φ 85*24	Φ 75	435.00	01/40
	2204PL06R WW	6W	3000K	>0.9	120°	>80	Φ 120*24	Φ 105	565.00	01/40
	2204PL06R NW	6W	4000K	>0.9	120°	>80	Φ 120*24	Φ 105	565.00	01/40
	2204PL06R CW	6W	6500K	>0.9	120°	>80	Φ 120*24	Φ 105	565.00	01/40
	2204PL09R WW	9W	3000K	>0.9	120°	>80	Φ 120*24	Φ 105	725.00	01/40
	2204PL09R NW	9W	4000K	>0.9	120°	>80	Φ 120*24	Φ 105	725.00	01/40
	2204PL09R CW	9W	6500K	>0.9	120°	>80	Φ 120*24	Φ 105	725.00	01/40
	2204PL12R WW	12W	3000K	>0.9	120°	>80	Φ 170*24	Φ 153	870.00	01/20
	2204PL12R NW	12W	4000K	>0.9	120°	>80	Φ 170*24	Φ 153	870.00	01/20
	2204PL12R CW	12W	6500K	>0.9	120°	>80	Φ 170*24	Φ 153	870.00	01/20
	2204PL15R WW	15W	3000K	>0.9	120°	>80	Φ 170*24	Φ 153	1000.00	01/20
	2204PL15R NW	15W	4000K	>0.9	120°	>80	Φ 170*24	Φ 153	1000.00	01/20
	2204PL15R CW	15W	6500K	>0.9	120°	>80	Φ 170*24	Φ 153	1000.00	01/20
	2204PL18R WW	18W	3000K	>0.9	120°	>80	Φ 225*24	Φ 203	1200.00	01/20
	2204PL18R NW	18W	4000K	>0.9	120°	>80	Φ 225*24	Φ 203	1200.00	01/20
	2204PL18R CW	18W	6500K	>0.9	120°	>80	Φ 225*24	Φ 203	1200.00	01/20
	2204PL22R WW	22W	3000K	>0.9	120°	>80	Φ 225*24	Φ 203	1500.00	01/20
	2204PL22R NW	22W	4000K	>0.9	120°	>80	Φ 225*24	Φ 203	1500.00	01/20
	2204PL22R CW	22W	6500K	>0.9	120°	>80	Φ 225*24	Φ 203	1500.00	01/20

KEETO SLIM ALUMINIUM RECESSED PANEL LIGHT-SQUARE										
	NEW 2204PL03S WW	3W	3000K	>0.9	120°	>80	85*85*24	75*75	435.00	01/40
	2204PL03S NW	3W	4000K	>0.9	120°	>80	85*85*24	75*75	435.00	01/40
	2204PL03S CW	3W	6500K	>0.9	120°	>80	85*85*24	75*75	435.00	01/40
	2204PL06S WW	6W	3000K	>0.9	120°	>80	120*120*24	105*105	565.00	01/40
	2204PL06S NW	6W	4000K	>0.9	120°	>80	120*120*24	105*105	565.00	01/40
	2204PL06S CW	6W	6500K	>0.9	120°	>80	120*120*24	105*105	565.00	01/40
	2204PL09S WW	9W	3000K	>0.9	120°	>80	120*120*24	105*105	725.00	01/40
	2204PL09S NW	9W	4000K	>0.9	120°	>80	120*120*24	105*105	725.00	01/40
	2204PL09S CW	9W	6500K	>0.9	120°	>80	120*120*24	105*105	725.00	01/40
	2204PL12S WW	12W	3000K	>0.9	120°	>80	170*170*24	153*153	870.00	01/20
	2204PL12S NW	12W	4000K	>0.9	120°	>80	170*170*24	153*153	870.00	01/20
	2204PL12S CW	12W	6500K	>0.9	120°	>80	170*170*24	153*153	870.00	01/20
	2204PL15S WW	15W	3000K	>0.9	120°	>80	170*170*24	153*153	1000.00	01/20
	2204PL15S NW	15W	4000K	>0.9	120°	>80	170*170*24	153*153	1000.00	01/20
	2204PL15S CW	15W	6500K	>0.9	120°	>80	170*170*24	153*153	1000.00	01/20
	2204PL18S WW	18W	3000K	>0.9	120°	>80	225*225*24	203*203	1200.00	01/20
	2204PL18S NW	18W	4000K	>0.9	120°	>80	225*225*24	203*203	1200.00	01/20
	2204PL18S CW	18W	6500K	>0.9	120°	>80	225*225*24	203*203	1200.00	01/20
	2204PL22S WW	22W	3000K	>0.9	120°	>80	225*225*24	203*203	1500.00	01/20
	2204PL22S NW	22W	4000K	>0.9	120°	>80	225*225*24	203*203	1500.00	01/20
	2204PL22S CW	22W	6500K	>0.9	120°	>80	225*225*24	203*203	1500.00	01/20

	Code	Power In	Model Name	MRP ₹/U	Pack
KEETO DRIVER					
	2204DR03	3W	LED Driver 3W	280.00	05
	2204DR06	6W	LED Driver 6W	300.00	05
	2204DR09	9W	LED Driver 9W	350.00	05
	2204DR12	12W	LED Driver 12W	350.00	05
	2204DR15	15W	LED Driver 15W	450.00	05
	2204DR18	18W	LED Driver 18W	450.00	05
	2204DR22	22W	LED Driver 22W	575.00	05

All dimensions in mm






KEETO

PANEL LIGHT

With the spectacular beauty of innovative design coupled with the brightness that is unrivaled, these LED panels are thoughtfully designed to reflect sheer brilliance. Adorn your spaces with these supreme quality lights and get spellbound by the beauty its glow adds to your interiors.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KEETO SURFACE ALUMINIUM PANEL LIGHT-ROUND									
	2212PL06R WW	6W	3000K	>0.9	120°	>80	Φ 120*35	690.00	01/40
	2212PL06R NW	6W	4000K	>0.9	120°	>80	Φ 120*35	690.00	01/40
	2212PL06R CW	6W	6500K	>0.9	120°	>80	Φ 120*35	690.00	01/40
	2212PL09R WW	9W	3000K	>0.9	120°	>80	Φ 120*35	870.00	01/40
	2212PL09R NW	9W	4000K	>0.9	120°	>80	Φ 120*35	870.00	01/40
	2212PL09R CW	9W	6500K	>0.9	120°	>80	Φ 120*35	870.00	01/40
	2212PL12R WW	12W	3000K	>0.9	120°	>80	Φ 170*35	1025.00	01/20
	2212PL12R NW	12W	4000K	>0.9	120°	>80	Φ 170*35	1025.00	01/20
	2212PL12R CW	12W	6500K	>0.9	120°	>80	Φ 170*35	1025.00	01/20
	2212PL15R WW	15W	3000K	>0.9	120°	>80	Φ 170*35	1160.00	01/20
	2212PL15R NW	15W	4000K	>0.9	120°	>80	Φ 170*35	1160.00	01/20
	2212PL15R CW	15W	6500K	>0.9	120°	>80	Φ 170*35	1160.00	01/20
	2212PL18R WW	18W	3000K	>0.9	120°	>80	Φ 225*35	1475.00	01/20
	2212PL18R NW	18W	4000K	>0.9	120°	>80	Φ 225*35	1475.00	01/20
	2212PL18R CW	18W	6500K	>0.9	120°	>80	Φ 225*35	1475.00	01/20
	2212PL22R WW	22W	3000K	>0.9	120°	>80	Φ 225*35	1825.00	01/20
	2212PL22R NW	22W	4000K	>0.9	120°	>80	Φ 225*35	1825.00	01/20
	2212PL22R CW	22W	6500K	>0.9	120°	>80	Φ 225*35	1825.00	01/20
KEETO SURFACE ALUMINIUM PANEL LIGHT-SQUARE									
	2212PL06S WW	6W	3000K	>0.9	120°	>80	120*120*35	690.00	01/40
	2212PL06S NW	6W	4000K	>0.9	120°	>80	120*120*35	690.00	01/40
	2212PL06S CW	6W	6500K	>0.9	120°	>80	120*120*35	690.00	01/40
	2212PL09S WW	9W	3000K	>0.9	120°	>80	120*120*35	870.00	01/40
	2212PL09S NW	9W	4000K	>0.9	120°	>80	120*120*35	870.00	01/40
	2212PL09S CW	9W	6500K	>0.9	120°	>80	120*120*35	870.00	01/40
	2212PL12S WW	12W	3000K	>0.9	120°	>80	170*170*35	1025.00	01/20
	2212PL12S NW	12W	4000K	>0.9	120°	>80	170*170*35	1025.00	01/20
	2212PL12S CW	12W	6500K	>0.9	120°	>80	170*170*35	1025.00	01/20
	2212PL15S WW	15W	3000K	>0.9	120°	>80	170*170*35	1160.00	01/20
	2212PL15S NW	15W	4000K	>0.9	120°	>80	170*170*35	1160.00	01/20
	2212PL15S CW	15W	6500K	>0.9	120°	>80	170*170*35	1160.00	01/20
	2212PL18S WW	18W	3000K	>0.9	120°	>80	225*225*35	1475.00	01/20
	2212PL18S NW	18W	4000K	>0.9	120°	>80	225*225*35	1475.00	01/20
	2212PL18S CW	18W	6500K	>0.9	120°	>80	225*225*35	1475.00	01/20
	2212PL22S WW	22W	3000K	>0.9	120°	>80	225*225*35	1825.00	01/20
	2212PL22S NW	22W	4000K	>0.9	120°	>80	225*225*35	1825.00	01/20
	2212PL22S CW	22W	6500K	>0.9	120°	>80	225*225*35	1825.00	01/20

All dimensions in mm


 ROBUST
DESIGN


 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY



KEETO

PANEL LIGHT

Stylish, stunning and ultra-modern, these panels illuminate your spaces uniformly and efficiently. Made to cater to a range of requirements, these add a dash of warmth to your interiors making them look bright and inviting. Ideally suited for commercial and industrial applications.

Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KEETO BACKLIT SLIM PANEL-SQUARE								



2204PL40S WW	40W	3000K	>0.9	120°	>80	600*600*30	3500.00	01/05
2204PL40S CW	40W	6500K	>0.9	120°	>80	600*600*30	3500.00	01/05

KEETO BACKLIT SLIM SURFACE PANEL-SQUARE								
--	--	--	--	--	--	--	--	--

NEW


2212PL40S WW	40W	3000K	>0.9	120°	>80	600*600*60	4500.00	01/05
2212PL40S CW	40W	6500K	>0.9	120°	>80	600*600*60	4500.00	01/05

Code	Power In	Model Name	MRP ₹/U	Pack
KEETO BACKLIT SLIM PANEL DRIVER				



2204DR40	40W	LED Driver 40W	1010.00	05
----------	-----	----------------	---------	----

Code	Model Name	MRP ₹/U	Pack
KEETO BACKLIT SLIM PANEL CLAMP			

NEW


2204CL40	Clamp for 40W	200.00	01
----------	---------------	--------	----

All dimensions in mm


**ROBUST
DESIGN**

**GREEN
PRODUCT**

**SUPERIOR
CRI**

**ENERGY
SAVER**

**MAINTENANCE
FREE**

**ZERO
MERCURY**

KARIS

DOWN LIGHT



This innovatively designed variant of Karis Downlight offers enhanced voltage range and comes with 4KV surge protection. A step ahead in its aesthetics and functions, these lights suit every interior style. Karis Downlight products are perfected with unsurpassed excellence to reflect your fine choice.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KARIS DOWNLIGHT-ROUND										
	2402DL03R WW	3W	3000K	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	375.00	01/60
	2402DL03R NW	3W	4000K	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	375.00	01/60
	2402DL03R CW	3W	6500K	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	375.00	01/60
	2402DL03R RD	3W	Red	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	375.00	01/60
	2402DL03R GN	3W	Green	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	375.00	01/60
	2402DL03R BE	3W	Blue	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	375.00	01/60
	2402DL05R WW	5W	3000K	>0.5	120°	>80	Φ 110*42	Φ 75	585.00	01/40
	2402DL05R NW	5W	4000K	>0.5	120°	>80	Φ 110*42	Φ 75	585.00	01/40
	2402DL05R CW	5W	6500K	>0.5	120°	>80	Φ 110*42	Φ 75	585.00	01/40
	2402DL05R RD	5W	Red	>0.5	120°	>80	Φ 110*42	Φ 75	585.00	01/40
	2402DL05R GN	5W	Green	>0.5	120°	>80	Φ 110*42	Φ 75	585.00	01/40
	2402DL05R BE	5W	Blue	>0.5	120°	>80	Φ 110*42	Φ 75	585.00	01/40
	2402DL05R PK	5W	Pink	>0.5	120°	>80	Φ 110*42	Φ 75	585.00	01/40
	2402DL09R WW	9W	3000K	>0.9	120°	>80	Φ 110*42	Φ 75	815.00	01/40
	2402DL09R NW	9W	4000K	>0.9	120°	>80	Φ 110*42	Φ 75	815.00	01/40
	2402DL09R CW	9W	6500K	>0.9	120°	>80	Φ 110*42	Φ 75	815.00	01/40
	2402DL12R WW	12W	3000K	>0.9	120°	>80	Φ 145*57.5	Φ 125	915.00	01/20
	2402DL12R NW	12W	4000K	>0.9	120°	>80	Φ 145*57.5	Φ 125	915.00	01/20
	2402DL12R CW	12W	6500K	>0.9	120°	>80	Φ 145*57.5	Φ 125	915.00	01/20
	2402DL18R WW	18W	3000K	>0.9	120°	>80	Φ 192*66.7	Φ 170	1205.00	01/20
	2402DL18R NW	18W	4000K	>0.9	120°	>80	Φ 192*66.7	Φ 170	1205.00	01/20
	2402DL18R CW	18W	6500K	>0.9	120°	>80	Φ 192*66.7	Φ 170	1205.00	01/20

KARIS TRIO DOWNLIGHT-ROUND										
	2402DL05R 3-in-1	5W	3000K 4000K 6500K	>0.5	120°	>80	Φ 110*42	Φ 75	600.00	01/40

NEW

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY



Unravel superior brightness.



A design that suits every requirement, these are ideal spotlights to highlight specific areas and illuminate them efficiently. Offering immense flexibility in application and matchless brightness, these are suitable to draw attention to specific objects. Designed to beautify any space it adorns, these spotlights create an aura of warmth that instantly uplifts your mood.

KARIS

SPOT LIGHT

Swivel Angle 45°



Stylish and elegant, these ultramodern spotlights are best suitable for application lighting. Designed to highlight specific areas and illuminate them efficiently, these offer high lumen value and immense flexibility in application. A classic reflection of contemporary design, these are crafted to blend seamlessly with every space and enhance its aura.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KARIS COB SPOTLIGHT-ROUND										
	2402SL03R WW	3W	3000K	>0.5	38°	>80	Φ 74*40	Φ 63	500.00	01/40
	2402SL03R NW	3W	4000K	>0.5	38°	>80	Φ 74*40	Φ 63	500.00	01/40
	2402SL03R CW	3W	6500K	>0.5	38°	>80	Φ 74*40	Φ 63	500.00	01/40
	2402SL05R WW	5W	3000K	>0.9	38°	>80	Φ 74*40	Φ 63	600.00	01/40
	2402SL05R NW	5W	4000K	>0.9	38°	>80	Φ 74*40	Φ 63	600.00	01/40
	2402SL05R CW	5W	6500K	>0.9	38°	>80	Φ 74*40	Φ 63	600.00	01/40
	2402SL07R WW	7W	3000K	>0.9	38°	>80	Φ 95*45	Φ 72	775.00	01/40
	2402SL07R NW	7W	4000K	>0.9	38°	>80	Φ 95*45	Φ 72	775.00	01/40
	2402SL07R CW	7W	6500K	>0.9	38°	>80	Φ 95*45	Φ 72	775.00	01/40
	2402SL09R WW	9W	3000K	>0.9	30°	>80	Φ 117*52	Φ 92	925.00	01/40
	2402SL09R NW	9W	4000K	>0.9	30°	>80	Φ 117*52	Φ 92	925.00	01/40
	2402SL09R CW	9W	6500K	>0.9	30°	>80	Φ 117*52	Φ 92	925.00	01/40
	2402SL12R WW	12W	3000K	>0.9	30°	>80	Φ 140*59	Φ 120	1150.00	01/40
	2402SL12R NW	12W	4000K	>0.9	30°	>80	Φ 140*59	Φ 120	1150.00	01/40
	2402SL12R CW	12W	6500K	>0.9	30°	>80	Φ 140*59	Φ 120	1150.00	01/40
KARIS COB SPOTLIGHT-SQUARE										
	2402SL03S WW	3W	3000K	>0.5	38°	>80	74*74*40	Φ 63	500.00	01/40
	2402SL03S NW	3W	4000K	>0.5	38°	>80	74*74*40	Φ 63	500.00	01/40
	2402SL03S CW	3W	6500K	>0.5	38°	>80	74*74*40	Φ 63	500.00	01/40
	2402SL05S WW	5W	3000K	>0.9	38°	>80	74*74*40	Φ 63	600.00	01/40
	2402SL05S NW	5W	4000K	>0.9	38°	>80	74*74*40	Φ 63	600.00	01/40
	2402SL05S CW	5W	6500K	>0.9	38°	>80	74*74*40	Φ 63	600.00	01/40
	2402SL07S WW	7W	3000K	>0.9	38°	>80	95*95*45	Φ 72	775.00	01/40
	2402SL07S NW	7W	4000K	>0.9	38°	>80	95*95*45	Φ 72	775.00	01/40
	2402SL07S CW	7W	6500K	>0.9	38°	>80	95*95*45	Φ 72	775.00	01/40
	2402SL09S WW	9W	3000K	>0.9	30°	>80	117*117*52	Φ 92	925.00	01/40
	2402SL09S NW	9W	4000K	>0.9	30°	>80	117*117*52	Φ 92	925.00	01/40
	2402SL09S CW	9W	6500K	>0.9	30°	>80	117*117*52	Φ 92	925.00	01/40
	2402SL12S WW	12W	3000K	>0.9	30°	>80	140*140*59	Φ 120	1150.00	01/40
	2402SL12S NW	12W	4000K	>0.9	30°	>80	140*140*59	Φ 120	1150.00	01/40
	2402SL12S CW	12W	6500K	>0.9	30°	>80	140*140*59	Φ 120	1150.00	01/40

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY

KARIS

SPOT LIGHT

Witness your life dwell in limelight with an ultramodern set of spotlights, best suited for application lighting. Our stylish beauties are crafted to highlight and illuminate specific areas of your choice while offering high lumen value and immense flexibility. What's more, these enhancers of graceful reflection are designed to blend with all kinds of spaces.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KARIS COB SPOTLIGHT BLACK-ROUND										
	2402SL03R B WW	3W	3000K	>0.5	38°	>80	Φ 74*40	Φ 63	550.00	01/40
	2402SL03R B NW	3W	4000K	>0.5	38°	>80	Φ 74*40	Φ 63	550.00	01/40
	2402SL03R B CW	3W	6500K	>0.5	38°	>80	Φ 74*40	Φ 63	550.00	01/40
	2402SL05R B WW	5W	3000K	>0.9	38°	>80	Φ 74*40	Φ 63	650.00	01/40
	2402SL05R B NW	5W	4000K	>0.9	38°	>80	Φ 74*40	Φ 63	650.00	01/40
	2402SL05R B CW	5W	6500K	>0.9	38°	>80	Φ 74*40	Φ 63	650.00	01/40
	2402SL07R B WW	7W	3000K	>0.9	38°	>80	Φ 95*45	Φ 72	850.00	01/40
	2402SL07R B NW	7W	4000K	>0.9	38°	>80	Φ 95*45	Φ 72	850.00	01/40
	2402SL07R B CW	7W	6500K	>0.9	38°	>80	Φ 95*45	Φ 72	850.00	01/40
	2402SL09R B WW	9W	3000K	>0.9	30°	>80	Φ 117*52	Φ 92	1000.00	01/40
	2402SL09R B NW	9W	4000K	>0.9	30°	>80	Φ 117*52	Φ 92	1000.00	01/40
	2402SL09R B CW	9W	6500K	>0.9	30°	>80	Φ 117*52	Φ 92	1000.00	01/40
	2402SL12R B WW	12W	3000K	>0.9	30°	>80	Φ 140*59	Φ 120	1250.00	01/40
	2402SL12R B NW	12W	4000K	>0.9	30°	>80	Φ 140*59	Φ 120	1250.00	01/40
	2402SL12R B CW	12W	6500K	>0.9	30°	>80	Φ 140*59	Φ 120	1250.00	01/40
KARIS COB SPOTLIGHT BLACK-SQUARE										
	2402SL03S B WW	3W	3000K	>0.5	38°	>80	74*74*40	Φ 63	550.00	01/40
	2402SL03S B NW	3W	4000K	>0.5	38°	>80	74*74*40	Φ 63	550.00	01/40
	2402SL03S B CW	3W	6500K	>0.5	38°	>80	74*74*40	Φ 63	550.00	01/40
	2402SL05S B WW	5W	3000K	>0.9	38°	>80	74*74*40	Φ 63	650.00	01/40
	2402SL05S B NW	5W	4000K	>0.9	38°	>80	74*74*40	Φ 63	650.00	01/40
	2402SL05S B CW	5W	6500K	>0.9	38°	>80	74*74*40	Φ 63	650.00	01/40
	2402SL07S B WW	7W	3000K	>0.9	38°	>80	95*95*45	Φ 72	850.00	01/40
	2402SL07S B NW	7W	4000K	>0.9	38°	>80	95*95*45	Φ 72	850.00	01/40
	2402SL07S B CW	7W	6500K	>0.9	38°	>80	95*95*45	Φ 72	850.00	01/40
	2402SL09S B WW	9W	3000K	>0.9	30°	>80	117*117*52	Φ 92	1000.00	01/40
	2402SL09S B NW	9W	4000K	>0.9	30°	>80	117*117*52	Φ 92	1000.00	01/40
	2402SL09S B CW	9W	6500K	>0.9	30°	>80	117*117*52	Φ 92	1000.00	01/40
	2402SL12S B WW	12W	3000K	>0.9	30°	>80	140*140*59	Φ 120	1250.00	01/40
	2402SL12S B NW	12W	4000K	>0.9	30°	>80	140*140*59	Φ 120	1250.00	01/40
	2402SL12S B CW	12W	6500K	>0.9	30°	>80	140*140*59	Φ 120	1250.00	01/40

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY



Kutē | Klair



A constellation of **modishness.**

Crafted to offer optimum and efficient brightness, these are best suitable to be used indoors. The sturdy body makes it durable while its cutting-edge technology makes it energy-efficient and long-lasting. The use of the finest materials and absolute precision in conceiving the product ensures uniform and consistent brightness.





Klair

DOWN LIGHT

Savour sophistication of the slim and sleek designs of our maintenance-free lights. With zero mercury, this green product has in-built drivers. Now redefine the looks of your spaces be it homes, offices, hotels or even kitchens for a modern appearance.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KRYSTA DOWNLIGHT DETACHABLE										
	2407DL05R WW	5W	3000K	>0.5	90°	>80	Φ 110*60	Φ 80	505.00	50
	2407DL05R NW	5W	4000K	>0.5	90°	>80	Φ 110*60	Φ 80	505.00	50
	2407DL05R CW	5W	6500K	>0.5	90°	>80	Φ 110*60	Φ 80	505.00	50
	2407DL05R RD	5W	Red	>0.5	90°	>80	Φ 110*60	Φ 80	540.00	50
	2407DL05R GN	5W	Green	>0.5	90°	>80	Φ 110*60	Φ 80	540.00	50
	2407DL05R BE	5W	Blue	>0.5	90°	>80	Φ 110*60	Φ 80	540.00	50
DETACHABLE BULB FOR KRYSTA DOWNLIGHT										
	2407BU05R WW	5W	3000K	>0.5	90°	>80	-	-	350.00	10
	2407BU05R NW	5W	4000K	>0.5	90°	>80	-	-	350.00	10
	2407BU05R CW	5W	6500K	>0.5	90°	>80	-	-	350.00	10
	2407BU05R RD	5W	Red	>0.5	90°	>80	-	-	350.00	10
	2407BU05R GN	5W	Green	>0.5	90°	>80	-	-	350.00	10
	2407BU05R BE	5W	Blue	>0.5	90°	>80	-	-	350.00	10
KUTE SURFACE LIGHT										
	2408PL03R WW	3W	3000K	>0.9	120°	>80	Φ 68.5*13	-	220.00	20/200
	2408PL03R NW	3W	4000K	>0.9	120°	>80	Φ 68.5*13	-	220.00	20/200
	2408PL03R CW	3W	6500K	>0.9	120°	>80	Φ 68.5*13	-	220.00	20/200
	2408PL03R RD	3W	Red	>0.9	120°	>80	Φ 68.5*13	-	220.00	20/200
	2408PL03R GN	3W	Green	>0.9	120°	>80	Φ 68.5*13	-	220.00	20/200
	2408PL03R BE	3W	Blue	>0.9	120°	>80	Φ 68.5*13	-	220.00	20/200
	2408PL03R PK	3W	Pink	>0.9	120°	>80	Φ 68.5*13	-	220.00	20/200
KUTE SURFACE LIGHT BLACK										
	2408PL03R B WW	3W	3000K	>0.9	120°	>80	Φ 68.5*13	-	270.00	20/200
	2408PL03R B NW	3W	4000K	>0.9	120°	>80	Φ 68.5*13	-	270.00	20/200
	2408PL03R B CW	3W	6500K	>0.9	120°	>80	Φ 68.5*13	-	270.00	20/200
	2408PL03R B RD	3W	Red	>0.9	120°	>80	Φ 68.5*13	-	270.00	20/200
	2408PL03R B GN	3W	Green	>0.9	120°	>80	Φ 68.5*13	-	270.00	20/200
	2408PL03R B BE	3W	Blue	>0.9	120°	>80	Φ 68.5*13	-	270.00	20/200
	2408PL03R B PK	3W	Pink	>0.9	120°	>80	Φ 68.5*13	-	270.00	20/200
KLAIR DOWNLIGHT-ROUND										
	2403DL03R WW	3W	3000K	>0.9	120°	>80	Φ 80*33	Φ 62	325.00	01/80
	2403DL03R CW	3W	6500K	>0.9	120°	>80	Φ 80*33	Φ 62	325.00	01/80
	2403DL03R RD	3W	Red	>0.9	120°	>80	Φ 80*33	Φ 62	325.00	01/80
	2403DL03R GN	3W	Green	>0.9	120°	>80	Φ 80*33	Φ 62	325.00	01/80
	2403DL03R BE	3W	Blue	>0.9	120°	>80	Φ 80*33	Φ 62	325.00	01/80
	2403DL03R PK	3W	Pink	>0.9	120°	>80	Φ 80*33	Φ 62	325.00	01/80
KLAY JUNCTION BOX DOWNLIGHT-ROUND										
	2424DL03R WW	3W	3000K	>0.9	180°	>80	Φ 74*27	Φ 52	275.00	01/90
	2424DL03R NW	3W	4000K	>0.9	180°	>80	Φ 74*27	Φ 52	275.00	01/90
	2424DL03R CW	3W	6500K	>0.9	180°	>80	Φ 74*27	Φ 52	275.00	01/90
	2424DL03R RD	3W	Red	>0.9	180°	>80	Φ 74*27	Φ 52	275.00	01/90
	2424DL03R GN	3W	Green	>0.9	180°	>80	Φ 74*27	Φ 52	275.00	01/90
	2424DL03R BE	3W	Blue	>0.9	180°	>80	Φ 74*27	Φ 52	275.00	01/90
	2424DL03R PK	3W	Pink	>0.9	180°	>80	Φ 74*27	Φ 52	275.00	01/90

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY



HIGH- GRADE HEAT SINKS

Manages heat efficiently and enhances longer life.



TRULY green

Energy-efficient products that minimise energy wastage.



Intelligently
Engineered

The high-surge protection reflects the good electrical design and quality components.




Greater
than
80  CRI

Shows the natural colours of the objects.



Embrace an illuminated life.

An array of aesthetically designed and modish LED lights, these are made with precision to suit your requirements. Contemporary style coupled with spellbinding brightness, these are quintessential modern-day accessories that beautify every interior. The inimitable design of each product exhibits finesse and innovation like never before.



Introducing

Kutē 2.0 trio

3-IN-1 COLOUR CHANGING
JUNCTION BOX LED LIGHT

Technology made **unique and convenient.**

Now, no more hassles of changing bulbs and holders, easy replacement of both with just one product on your existing junction box.

3-IN-1 Colour Changing Light

(3000K, 4000K & 6500K)

Available in 7W

Changes colour by clicking
the switch OFF & ON



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KUTE 2.0 JUNCTION BOX LED LIGHT											NEW
	2413PL03R WW	3W	3000K	>0.9	180°	>80	Φ 80*28	-	235.00	10/200	
	2413PL03R NW	3W	4000K	>0.9	180°	>80	Φ 80*28	-	235.00	10/200	
	2413PL03R CW	3W	6500K	>0.9	180°	>80	Φ 80*28	-	235.00	10/200	
	2413PL03R RD	3W	Red	>0.9	180°	>80	Φ 80*28	-	235.00	10/200	
	2413PL03R GN	3W	Green	>0.9	180°	>80	Φ 80*28	-	235.00	10/200	
	2413PL03R BE	3W	Blue	>0.9	180°	>80	Φ 80*28	-	235.00	10/200	
	2413PL03R PK	3W	Pink	>0.9	180°	>80	Φ 80*28	-	235.00	10/200	
	2413PL07R WW	7W	3000K	>0.9	180°	>80	Φ 80*28	-	315.00	10/200	
	2413PL07R NW	7W	4000K	>0.9	180°	>80	Φ 80*28	-	315.00	10/200	
	2413PL07R CW	7W	6500K	>0.9	180°	>80	Φ 80*28	-	315.00	10/200	
	2413PL07R RD	7W	Red	>0.9	180°	>80	Φ 80*28	-	315.00	10/200	
	2413PL07R GN	7W	Green	>0.9	180°	>80	Φ 80*28	-	315.00	10/200	
	2413PL07R BE	7W	Blue	>0.9	180°	>80	Φ 80*28	-	315.00	10/200	
	2413PL07R PK	7W	Pink	>0.9	180°	>80	Φ 80*28	-	315.00	10/200	
KUTE 2.0 TRIO 3-IN-1 COLOUR CHANGING JUNCTION BOX LED LIGHT											NEW
	2413JB07R	7W	3000K 4000K 6500K	>0.9	180°	>80	Φ 80*28	-	350.00	10/200	

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY

Introducing

KORNET

DEEP COB SPOT LIGHT



Epitomizing ambient lighting like never-before, these sleek and stylish deep recessed LED spot lights gives minimum exposure without compromising the elegance of the ceiling, chrome reflectors with narrow beam angle harmonise the light. These spot lights are all you need to take the aura of your spaces up by a few notches. Stunning in its style and efficient in its function, these ultra-modern jewels are bound to complement every space and style.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KORNET DEEP COB SPOTLIGHT BLACK-ROUND [STEEL CHROME] (ALUMINIUM DIE-CAST HOUSING)											NEW
	2221SL07R WW SL	7W	3000K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL07R NW SL	7W	4000K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL07R CW SL	7W	6500K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL12R WW SL	12W	3000K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
	2221SL12R NW SL	12W	4000K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
	2221SL12R CW SL	12W	6500K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
KORNET DEEP COB SPOTLIGHT BLACK-ROUND [ROSE GOLD CHROME] (ALUMINIUM DIE-CAST HOUSING)											NEW
	2221SL07R WW RG	7W	3000K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL07R NW RG	7W	4000K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL07R CW RG	7W	6500K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL12R WW RG	12W	3000K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
	2221SL12R NW RG	12W	4000K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
	2221SL12R CW RG	12W	6500K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
KORNET DEEP COB SPOTLIGHT BLACK-ROUND [BLACK CHROME] (ALUMINIUM DIE-CAST HOUSING)											NEW
	2221SL07R WW BK	7W	3000K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL07R NW BK	7W	4000K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL07R CW BK	7W	6500K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL12R WW BK	12W	3000K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
	2221SL12R NW BK	12W	4000K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
	2221SL12R CW BK	12W	6500K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
KORNET DEEP COB SPOTLIGHT WHITE-ROUND [STEEL CHROME] (ALUMINIUM DIE-CAST HOUSING)											NEW
	2221SL07R W WW SL	7W	3000K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL07R W NW SL	7W	4000K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL07R W CW SL	7W	6500K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL12R W WW SL	12W	3000K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
	2221SL12R W NW SL	12W	4000K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
	2221SL12R W CW SL	12W	6500K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
KORNET DEEP COB SPOTLIGHT WHITE-ROUND [ROSE GOLD CHROME] (ALUMINIUM DIE-CAST HOUSING)											NEW
	2221SL07R W WW RG	7W	3000K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL07R W NW RG	7W	4000K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL07R W CW RG	7W	6500K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL12R W WW RG	12W	3000K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
	2221SL12R W NW RG	12W	4000K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
	2221SL12R W CW RG	12W	6500K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
KORNET DEEP COB SPOTLIGHT WHITE-ROUND [BLACK CHROME] (ALUMINIUM DIE-CAST HOUSING)											NEW
	2221SL07R W WW BK	7W	3000K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL07R W NW BK	7W	4000K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL07R W CW BK	7W	6500K	>0.5	24°	>80	Φ 65*65	Φ 60	1300.00	01/20	
	2221SL12R W WW BK	12W	3000K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
	2221SL12R W NW BK	12W	4000K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	
	2221SL12R W CW BK	12W	6500K	>0.9	24°	>80	Φ 80*80	Φ 75	1800.00	01/20	

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY

Introducing

KORNET 2.0

DEEP COB SPOT LIGHT



Designed to augment the beauty of your spaces, Kornet LED lights are built to last. These sturdy and efficient pieces of impeccable radiance light up your spaces with innovative excellence and are bound to leave lasting impressions. Adorn your spaces with these radiant beauties now.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KORNET 2.0 DEEP COB SPOTLIGHT-ROUND (ALUMINIUM DIE-CAST HOUSING)										
	2222SL05R WW	5W	3000K	>0.5	24°	>80	Φ 50*55	Φ 45	800.00	01/20
	2222SL05R NW	5W	4000K	>0.5	24°	>80	Φ 50*55	Φ 45	800.00	01/20
	2222SL05R CW	5W	6500K	>0.5	24°	>80	Φ 50*55	Φ 45	800.00	01/20
	2222SL10R WW	10W	3000K	>0.5	24°	>80	Φ 75*70	Φ 70	1400.00	01/50
	2222SL10R NW	10W	4000K	>0.5	24°	>80	Φ 75*70	Φ 70	1400.00	01/50
	2222SL10R CW	10W	6500K	>0.5	24°	>80	Φ 75*70	Φ 70	1400.00	01/50
	2222SL15R WW	15W	3000K	>0.9	24°	>80	Φ 85*80	Φ 75	1800.00	01/50
	2222SL15R NW	15W	4000K	>0.9	24°	>80	Φ 85*80	Φ 75	1800.00	01/50
	2222SL15R CW	15W	6500K	>0.9	24°	>80	Φ 85*80	Φ 75	1800.00	01/50

All dimensions in mm

	Code	Power In	Model Name	MRP ₹/U	Pack
KORNET DRIVER					
	2221DR05	5W	LED Driver 5W	280.00	05
	2221DR07	7W	LED Driver 7W	325.00	05
	2221DR10	10W	LED Driver 10W	370.00	05
	2221DR12	12W	LED Driver 12W	395.00	05
	2221DR15	15W	LED Driver 15W	430.00	05



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI




ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY




Superior fin design
for thermal management in heat sink

Now, experience extreme brightness from a compact device. As the innovative technology used in our Karat COB Lights with aluminium die-cast body makes your spaces exceptionally bright. What's more, you can benefit from extra efficiency, save energy, long lamp life and high lumen output.



Introducing

karat

COB SPOT LIGHT



Faceted high gloss reflectors
for perfect beam angle



Swivel Angle 25°



Aluminium
Die-cast Body



Detachable
Driver



30,000H
Lifespan



Superior Surge
Protection



Beam
Angle



Wide voltage
range 110-270V



IP20

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KARAT COB SPOTLIGHT-ROUND (ALUMINIUM DIE-CAST HOUSING)										
	2214SL03R WW	3W	3000K	>0.5	60°	>80	Φ 70*45	Φ 50	675.00	01/50
	2214SL03R NW	3W	4000K	>0.5	60°	>80	Φ 70*45	Φ 50	675.00	01/50
	2214SL03R CW	3W	6500K	>0.5	60°	>80	Φ 70*45	Φ 50	675.00	01/50
	2214SL05R WW	5W	3000K	>0.5	60°	>80	Φ 70*45	Φ 50	700.00	01/50
	2214SL05R NW	5W	4000K	>0.5	60°	>80	Φ 70*45	Φ 50	700.00	01/50
	2214SL05R CW	5W	6500K	>0.5	60°	>80	Φ 70*45	Φ 50	700.00	01/50
	2214SL10R WW	10W	3000K	>0.9	60°	>80	Φ 85*60	Φ 65	1150.00	01/50
	2214SL10R NW	10W	4000K	>0.9	60°	>80	Φ 85*60	Φ 65	1150.00	01/50
	2214SL10R CW	10W	6500K	>0.9	60°	>80	Φ 85*60	Φ 65	1150.00	01/50
	2214SL15R WW	15W	3000K	>0.9	60°	>80	Φ 110*70	Φ 80	1500.00	01/20
	2214SL15R NW	15W	4000K	>0.9	60°	>80	Φ 110*70	Φ 80	1500.00	01/20
	2214SL15R CW	15W	6500K	>0.9	60°	>80	Φ 110*70	Φ 80	1500.00	01/20
	2214SL25R WW	25W	3000K	>0.9	60°	>80	Φ 136*80	Φ 115	2050.00	01/20
	2214SL25R NW	25W	4000K	>0.9	60°	>80	Φ 136*80	Φ 115	2050.00	01/20
	2214SL25R CW	25W	6500K	>0.9	60°	>80	Φ 136*80	Φ 115	2050.00	01/20
	2214SL35R WW	35W	3000K	>0.9	60°	>80	Φ 160*85	Φ 135	2500.00	01/20
	2214SL35R NW	35W	4000K	>0.9	60°	>80	Φ 160*85	Φ 135	2500.00	01/20
	2214SL35R CW	35W	6500K	>0.9	60°	>80	Φ 160*85	Φ 135	2500.00	01/20

NEW

KARAT COB SPOTLIGHT BLACK-ROUND (ALUMINIUM DIE-CAST HOUSING)										
	2214SL03R B WW	3W	3000K	>0.5	60°	>80	Φ 70*45	Φ 50	700.00	01/50
	2214SL03R B NW	3W	4000K	>0.5	60°	>80	Φ 70*45	Φ 50	700.00	01/50
	2214SL03R B CW	3W	6500K	>0.5	60°	>80	Φ 70*45	Φ 50	700.00	01/50
	2214SL05R B WW	5W	3000K	>0.5	60°	>80	Φ 70*45	Φ 50	725.00	01/50
	2214SL05R B NW	5W	4000K	>0.5	60°	>80	Φ 70*45	Φ 50	725.00	01/50
	2214SL05R B CW	5W	6500K	>0.5	60°	>80	Φ 70*45	Φ 50	725.00	01/50
	2214SL10R B WW	10W	3000K	>0.9	60°	>80	Φ 85*60	Φ 65	1200.00	01/50
	2214SL10R B NW	10W	4000K	>0.9	60°	>80	Φ 85*60	Φ 65	1200.00	01/50
	2214SL10R B CW	10W	6500K	>0.9	60°	>80	Φ 85*60	Φ 65	1200.00	01/50
	2214SL15R B WW	15W	3000K	>0.9	60°	>80	Φ 110*70	Φ 80	1575.00	01/20
	2214SL15R B NW	15W	4000K	>0.9	60°	>80	Φ 110*70	Φ 80	1575.00	01/20
	2214SL15R B CW	15W	6500K	>0.9	60°	>80	Φ 110*70	Φ 80	1575.00	01/20
	2214SL25R B WW	25W	3000K	>0.9	60°	>80	Φ 136*80	Φ 115	2150.00	01/20
	2214SL25R B NW	25W	4000K	>0.9	60°	>80	Φ 136*80	Φ 115	2150.00	01/20
	2214SL25R B CW	25W	6500K	>0.9	60°	>80	Φ 136*80	Φ 115	2150.00	01/20
	2214SL35R B WW	35W	3000K	>0.9	60°	>80	Φ 160*85	Φ 135	2625.00	01/20
	2214SL35R B NW	35W	4000K	>0.9	60°	>80	Φ 160*85	Φ 135	2625.00	01/20
	2214SL35R B CW	35W	6500K	>0.9	60°	>80	Φ 160*85	Φ 135	2625.00	01/20

NEW

	Code	Power In	Model Name	MRP ₹/U	Pack
KARAT DRIVER					
	2214DR03	3W	LED Driver 3W	280.00	05
	2214DR05	5W	LED Driver 5W	280.00	05
	2214DR10	10W	LED Driver 10W	370.00	05
	2214DR15	15W	LED Driver 15W	430.00	05
	2214DR25	25W	LED Driver 25W	525.00	05
	2214DR35	35W	LED Driver 35W	610.00	05

NEW

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KANDY SPOTLIGHT-ROUND										
	2401SL02R WW	2W	3000K	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20/200
	2401SL02R NW	2W	4000K	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20/200
	2401SL02R CW	2W	6500K	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20/200
	2401SL02R RD	2W	Red	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20/200
	2401SL02R GN	2W	Green	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20/200
	2401SL02R BE	2W	Blue	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20/200
	2401SL02R PK	2W	Pink	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20/200
KANDY SPOTLIGHT-SQUARE										
	2401SL02S WW	2W	3000K	>0.9	30°	>80	42*42*16	Φ 32	220.00	20/200
	2401SL02S NW	2W	4000K	>0.9	30°	>80	42*42*16	Φ 32	220.00	20/200
	2401SL02S CW	2W	6500K	>0.9	30°	>80	42*42*16	Φ 32	220.00	20/200
	2401SL02S RD	2W	Red	>0.9	30°	>80	42*42*16	Φ 32	220.00	20/200
	2401SL02S GN	2W	Green	>0.9	30°	>80	42*42*16	Φ 32	220.00	20/200
	2401SL02S BE	2W	Blue	>0.9	30°	>80	42*42*16	Φ 32	220.00	20/200
	2401SL02S PK	2W	Pink	>0.9	30°	>80	42*42*16	Φ 32	220.00	20/200
KANDY SPOTLIGHT BLACK-ROUND										
	2401SL02R B WW	2W	3000K	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20/200
	2401SL02R B NW	2W	4000K	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20/200
	2401SL02R B CW	2W	6500K	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20/200
	2401SL02R B RD	2W	Red	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20/200
	2401SL02R B GN	2W	Green	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20/200
	2401SL02R B BE	2W	Blue	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20/200
	2401SL02R B PK	2W	Pink	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20/200
KANDY SPOTLIGHT BLACK-SQUARE										
	2401SL02S B WW	2W	3000K	>0.9	30°	>80	42*42*16	Φ 32	270.00	20/200
	2401SL02S B NW	2W	4000K	>0.9	30°	>80	42*42*16	Φ 32	270.00	20/200
	2401SL02S B CW	2W	6500K	>0.9	30°	>80	42*42*16	Φ 32	270.00	20/200
	2401SL02S B RD	2W	Red	>0.9	30°	>80	42*42*16	Φ 32	270.00	20/200
	2401SL02S B GN	2W	Green	>0.9	30°	>80	42*42*16	Φ 32	270.00	20/200
	2401SL02S B BE	2W	Blue	>0.9	30°	>80	42*42*16	Φ 32	270.00	20/200
	2401SL02S B PK	2W	Pink	>0.9	30°	>80	42*42*16	Φ 32	270.00	20/200

NEW

NEW

KANDY SPOT LIGHT

Elegance woven with simplicity, these spot lights are all you need to transform your spaces into stunning sights to behold.



External Driver

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KANDY 2.0 SPOTLIGHT-ROUND											NEW
	2427SL02R WW	2W	3000K	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/200	
	2427SL02R NW	2W	4000K	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/200	
	2427SL02R CW	2W	6500K	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/200	
	2427SL02R RD	2W	Red	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/200	
	2427SL02R GN	2W	Green	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/200	
	2427SL02R BE	2W	Blue	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/200	
	2427SL02R PK	2W	Pink	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/200	
KANDY 2.0 SPOTLIGHT-SQUARE											NEW
	2427SL02S WW	2W	3000K	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/200	
	2427SL02S NW	2W	4000K	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/200	
	2427SL02S CW	2W	6500K	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/200	
	2427SL02S RD	2W	Red	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/200	
	2427SL02S GN	2W	Green	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/200	
	2427SL02S BE	2W	Blue	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/200	
	2427SL02S PK	2W	Pink	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/200	
KANDY 2.0 SPOTLIGHT BLACK-ROUND											NEW
	2427SL02R B WW	2W	3000K	>0.9	30°	>80	Φ 42*16	Φ 32	260.00	20/200	
	2427SL02R B NW	2W	4000K	>0.9	30°	>80	Φ 42*16	Φ 32	260.00	20/200	
	2427SL02R B CW	2W	6500K	>0.9	30°	>80	Φ 42*16	Φ 32	260.00	20/200	
	2427SL02R B RD	2W	Red	>0.9	30°	>80	Φ 42*16	Φ 32	260.00	20/200	
	2427SL02R B GN	2W	Green	>0.9	30°	>80	Φ 42*16	Φ 32	260.00	20/200	
	2427SL02R B BE	2W	Blue	>0.9	30°	>80	Φ 42*16	Φ 32	260.00	20/200	
	2427SL02R B PK	2W	Pink	>0.9	30°	>80	Φ 42*16	Φ 32	260.00	20/200	
KANDY 2.0 SPOTLIGHT BLACK-SQUARE											NEW
	2427SL02S B WW	2W	3000K	>0.9	30°	>80	42*42*16	Φ 32	260.00	20/200	
	2427SL02S B NW	2W	4000K	>0.9	30°	>80	42*42*16	Φ 32	260.00	20/200	
	2427SL02S B CW	2W	6500K	>0.9	30°	>80	42*42*16	Φ 32	260.00	20/200	
	2427SL02S B RD	2W	Red	>0.9	30°	>80	42*42*16	Φ 32	260.00	20/200	
	2427SL02S B GN	2W	Green	>0.9	30°	>80	42*42*16	Φ 32	260.00	20/200	
	2427SL02S B BE	2W	Blue	>0.9	30°	>80	42*42*16	Φ 32	260.00	20/200	
	2427SL02S B PK	2W	Pink	>0.9	30°	>80	42*42*16	Φ 32	260.00	20/200	

All dimensions in mm

KANDY 2.0

SPOT LIGHT

Redefining minimalistic design with innovative styles, Kandy 2.0 spot lights with in-built driver are suitable to draw attention to certain corners of your spaces and make them stand out.

Inbuilt Driver



Introducing

IGLOO Kenzo BOAT

The beauty of any place lies in its ambience and its lighting. These stunning LED lights are designed to suit various requirements while offering uniform lighting and unmatched style. An epitome of superior innovation and impeccable finesse, these are an ideal choice when it comes to bright, durable LED lights.

IGLOO ◀
Bulkhead Light

KENZO ◀
Down Light

BOAT ◀
IP65 Bulkhead Light for Outdoor

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KENZO MULTI-COLOUR CONCEALED DOWNLIGHT-ROUND											NEW
	2423CB07R CR	7W	6500K/Red	>0.9	180°	>80	Φ 100*36	Φ 75	375.00	01/60	
	2423CB07R CG	7W	6500K/Green	>0.9	180°	>80	Φ 100*36	Φ 75	375.00	01/60	
	2423CB07R CB	7W	6500K/Blue	>0.9	180°	>80	Φ 100*36	Φ 75	375.00	01/60	
	2423CB07R CP	7W	6500K/Pink	>0.9	180°	>80	Φ 100*36	Φ 75	375.00	01/60	
	2423CB07R CRGB	7W	6500K/RGB	>0.9	180°	>80	Φ 100*36	Φ 75	375.00	01/60	
	2423CB09R WW	9W	3000K	>0.9	180°	>80	Φ 100*36	Φ 75	405.00	01/60	NEW
	2423CB09R NW	9W	4000K	>0.9	180°	>80	Φ 100*36	Φ 75	405.00	01/60	
	2423CD09R CW	9W	6500K	>0.9	180°	>80	Φ 100*36	Φ 75	405.00	01/60	
	2423CB09R 3-in-1	9W	3000K/4000K/6500K	>0.9	180°	>80	Φ 100*36	Φ 75	465.00	01/60	
KENZO MULTI-COLOUR JUNCTION BOX DOWNLIGHT-ROUND											NEW
	2423JB07R CR	7W	6500K/Red	>0.9	180°	>80	Φ 100*42	Φ 52	365.00	01/40	
	2423JB07R CG	7W	6500K/Green	>0.9	180°	>80	Φ 100*42	Φ 52	365.00	01/40	
	2423JB07R CB	7W	6500K/Blue	>0.9	180°	>80	Φ 100*42	Φ 52	365.00	01/40	
	2423JB07R CP	7W	6500K/Pink	>0.9	180°	>80	Φ 100*42	Φ 52	365.00	01/40	
	2423JB07R CRGB	7W	6500K/RGB	>0.9	180°	>80	Φ 100*42	Φ 52	365.00	01/40	
	2423JB09R WW	9W	3000K	>0.9	180°	>80	Φ 100*42	Φ 52	390.00	01/40	NEW
	2423JB09R NW	9W	4000K	>0.9	180°	>80	Φ 100*42	Φ 52	390.00	01/40	
	2423JB09R CW	9W	6500K	>0.9	180°	>80	Φ 100*42	Φ 52	390.00	01/40	
	2423JB09R 3-in-1	9W	3000K/4000K/6500K	>0.9	180°	>80	Φ 100*42	Φ 52	450.00	01/40	

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
IGLOO BULK HEAD											NEW
	2426BH10 WW	10W	3000K	>0.9	180°	>80	166*80*63	-	600.00	01/30	
	2426BH10 NW	10W	4000K	>0.9	180°	>80	166*80*63	-	600.00	01/30	
	2426BH10 CW	10W	6500K	>0.9	180°	>80	166*80*63	-	600.00	01/30	
BOAT BULK HEAD											NEW
	2429BH10 WW	10W	3000K	>0.9	180°	>80	117*71*61	-	500.00	01/54	
	2429BH10 NW	10W	4000K	>0.9	180°	>80	117*71*61	-	500.00	01/54	
	2429BH10 CW	10W	6500K	>0.9	180°	>80	117*71*61	-	500.00	01/54	
	2429BH18 WW	18W	3000K	>0.9	180°	>80	166*84*67	-	675.00	01/30	
	2429BH18 NW	18W	4000K	>0.9	180°	>80	166*84*67	-	675.00	01/30	
	2429BH18 CW	18W	6500K	>0.9	180°	>80	166*84*67	-	675.00	01/30	

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY

Let your spaces
glow in style.

KOVE LED STRIP

Light up every corner of your space with these incredible LED strip lights that lend superior brightness and the perfect touch of elegance to your interiors. Specifically designed to add to the style quotient of your spaces, these strips come with adhesive at the backside for easy application and are best used for background lighting or decorative lighting.



High
Lumens



120°
Beam
Angle



5 Meters



IP20





KOVE LED STRIP

Delight each part of your space with a world-class quality LED strip light that sets the mood right for every occasion. An ultimate piece of jewel for your interiors that offers efficient lighting while adding to the vibe of your décor.

AVAILABLE IN
COOL WHITE, NATURAL WHITE,
WARM WHITE, RED, GREEN,
BLUE & PINK.

	Code	Power 5 Mtr	No. of LED Per Mtr	Colour Temp	Lumens Per LED	Input Voltage	CRI	MRP ₹/U	Length In Mtr	Pack	
KOVE STRIP LIGHT IP20 SMD 2835											NEW
	2218SP30 WW	30W	60	3000K	23	12V	>80	750.00	5	01/40	
	2218SP30 NW	30W	60	4000K	23	12V	>80	750.00	5	01/40	
	2218SP30 CW	30W	60	6500K	23	12V	>80	750.00	5	01/40	
	2218SP30 RD	30W	60	Red	23	12V	>80	800.00	5	01/40	
	2218SP30 GN	30W	60	Green	23	12V	>80	800.00	5	01/40	
	2218SP30 BE	30W	60	Blue	23	12V	>80	800.00	5	01/40	
	2218SP30 PK	30W	60	Pink	23	12V	>80	825.00	5	01/40	
	2218SP60 WW	60W	120	3000K	23	12V	>80	1000.00	5	01/40	
	2218SP60 NW	60W	120	4000K	23	12V	>80	1000.00	5	01/40	
	2218SP60 CW	60W	120	6500K	23	12V	>80	1000.00	5	01/40	
	2218SP60 RD	60W	120	Red	23	12V	>80	1075.00	5	01/40	
	2218SP60 GN	60W	120	Green	23	12V	>80	1075.00	5	01/40	
	2218SP60 BE	60W	120	Blue	23	12V	>80	1075.00	5	01/40	
	2218SP60 PK	60W	120	Pink	23	12V	>80	1125.00	5	01/40	
KOVE ULTRA STRIP LIGHT IP20 SMD 2835											NEW
	2219SP30 WW	30W	60	3000K	26	12V	>80	1000.00	5	01/40	
	2219SP30 NW	30W	60	4000K	26	12V	>80	1000.00	5	01/40	
	2219SP30 CW	30W	60	6500K	26	12V	>80	1000.00	5	01/40	
	2219SP30 RD	30W	60	Red	26	12V	>80	1075.00	5	01/40	
	2219SP30 GN	30W	60	Green	26	12V	>80	1075.00	5	01/40	
	2219SP30 BE	30W	60	Blue	26	12V	>80	1075.00	5	01/40	
	2219SP30 PK	30W	60	Pink	26	12V	>80	1125.00	5	01/40	
	2219SP60 WW	60W	120	3000K	26	12V	>80	1300.00	5	01/40	
	2219SP60 NW	60W	120	4000K	26	12V	>80	1300.00	5	01/40	
	2219SP60 CW	60W	120	6500K	26	12V	>80	1300.00	5	01/40	
	2219SP60 3-in-1 (Tunable)	60W	120	3000K/4000K/6500K	26	12V	>80	1375.00	5	01/40	
	2219SP60 RD	60W	120	Red	26	12V	>80	1375.00	5	01/40	
	2219SP60 GN	60W	120	Green	26	12V	>80	1375.00	5	01/40	
	2219SP60 BE	60W	120	Blue	26	12V	>80	1375.00	5	01/40	
	2219SP60 PK	60W	120	Pink	26	12V	>80	1450.00	5	01/40	
	2219SP90 WW	90W	180	3000K	26	12V	>80	1875.00	5	01/40	
	2219SP90 NW	90W	180	4000K	26	12V	>80	1875.00	5	01/40	
	2219SP90 CW	90W	180	6500K	26	12V	>80	1875.00	5	01/40	
	2219SP105 WW	105W	240	3000K	26	12V	>80	2050.00	5	01/40	
	2219SP105 NW	105W	240	4000K	26	12V	>80	2050.00	5	01/40	
	2219SP105 CW	105W	240	6500K	26	12V	>80	2050.00	5	01/40	

	Code	Power In	Model Name	MRP ₹/U	Pack	
KOVE STRIP LIGHT DRIVER						NEW
	2218DR24	24W	LED Driver 24W	525.00	01/72	
	2218DR60	60W	LED Driver 60W	1100.00	01/48	
	2218DR120	120W	LED Driver 120W	2050.00	01/24	





Stunning, smart and modern, these LED bulbs are designed to offer uniform illumination while superseding the electrical safety standards. Made with the finest materials, these are durable, energy-efficient and thus an exceptional choice for every kind of setup and space offering quality and class that's above all.



Add vibrant
glow to your
interiors.



Introducing

KEETO

INVERTER BULB

A one-of-a-kind offering from the house of Kolors, these inverter bulbs with turbocharger are a piece of accessory that every space must have. Designed to uniformly light up your spaces with unmatched radiance, these bulbs are sturdy and offer world-class quality.

10W



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	MRP ₹/U	Pack
KEETO BULB - B22								
	2204BU03 WW	3W	3000K	>0.9	180°	>80	155.00	10/90
	2204BU03 CW	3W	6500K	>0.9	180°	>80	155.00	10/90
	2204BU05 WW	5W	3000K	>0.9	180°	>80	170.00	50/200
	2204BU05 CW	5W	6500K	>0.9	180°	>80	170.00	50/200
	2204BU07 WW	7W	3000K	>0.9	180°	>80	175.00	50/200
	2204BU07 CW	7W	6500K	>0.9	180°	>80	175.00	50/200
	2204BU09 WW	9W	3000K	>0.9	180°	>80	205.00	50/200
	2204BU09 CW	9W	6500K	>0.9	180°	>80	205.00	50/200
	2204BU12 WW	12W	3000K	>0.9	180°	>80	305.00	10/60
	2204BU12 CW	12W	6500K	>0.9	180°	>80	305.00	10/60
	2204BU15 WW	15W	3000K	>0.9	180°	>80	365.00	10/60
	2204BU15 CW	15W	6500K	>0.9	180°	>80	365.00	10/60
	2204BU18 WW	18W	3000K	>0.9	180°	>80	450.00	10/60
	2204BU18 CW	18W	6500K	>0.9	180°	>80	450.00	10/60
	2204BU20 WW	20W	3000K	>0.9	180°	>80	550.00	10/60
	2204BU20 CW	20W	6500K	>0.9	180°	>80	550.00	10/60
	2204BU30 WW	30W	3000K	>0.9	180°	>80	850.00	01/20
	2204BU30 CW	30W	6500K	>0.9	180°	>80	850.00	01/20
	2204BU40 WW	40W	3000K	>0.9	180°	>80	1075.00	01/12
	2204BU40 CW	40W	6500K	>0.9	180°	>80	1075.00	01/12
	2204BU50 WW	50W	3000K	>0.9	180°	>80	1275.00	01/12
	2204BU50 CW	50W	6500K	>0.9	180°	>80	1275.00	01/12
KEETO INVERTER LAMP - B22								
	2204IB09 CW	9W	6500K	>0.9	180°	>80	650.00	01/50
 NEW	2204IB10 CW	10W	6500K	>0.9	180°	>80	750.00	01/50
NANO NIGHT LAMP - B22								
	2204BU00 WE	0.5W	White	>0.9	180°	>80	65.00	60
	2204BU00 YW	0.5W	Yellow	>0.9	180°	>80	65.00	60
	2204BU00 RD	0.5W	Red	>0.9	180°	>80	65.00	60
	2204BU00 PK	0.5W	Pink	>0.9	180°	>80	65.00	60
	2204BU00 GN	0.5W	Green	>0.9	180°	>80	65.00	60
	2204BU00 OE	0.5W	Orange	>0.9	180°	>80	65.00	60
	2204BU00 BE	0.5W	Blue	>0.9	180°	>80	65.00	60



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.

Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).

Introducing

KEETO

LED BULB



Lighting up innovative excellence.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	MRP ₹/U	Pack
KEETO BULB - E27 (SCREW TYPE)								
	2204BS03 WW	3W	3000K	>0.9	180°	>80	165.00	10/90
	2204BS03 CW	3W	6500K	>0.9	180°	>80	165.00	10/90
	2204BS05 WW	5W	3000K	>0.9	180°	>80	180.00	10/90
	2204BS05 CW	5W	6500K	>0.9	180°	>80	180.00	10/90
	2204BS07 WW	7W	3000K	>0.9	180°	>80	185.00	10/90
	2204BS07 CW	7W	6500K	>0.9	180°	>80	185.00	10/90
	2204BS09 WW	9W	3000K	>0.9	180°	>80	215.00	10/90
	2204BS09 CW	9W	6500K	>0.9	180°	>80	215.00	10/90
	NEW 2204BS12 WW	12W	3000K	>0.9	180°	>80	320.00	10/60
	2204BS12 CW	12W	6500K	>0.9	180°	>80	320.00	10/60



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.

Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).

Introducing

kanoodle

BULB

Transforming conventional bulbs into modern-day LED bulbs that complement smart spaces, these LED lights are high on radiance and functionality. Meticulously designed to evenly illuminate all corners of the space adorning these bulbs, these LED lights are durable and offer world-class quality.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	MRP ₹/U	Pack	
KANDLE BULB - E27 (SCREW TYPE)									NEW
	2228BS05 WW	5W	3000K	>0.5	180°	>80	200.00	25/200	
	2228BS05 NW	5W	4000K	>0.5	180°	>80	200.00	25/200	
	2228BS05 CW	5W	6500K	>0.5	180°	>80	200.00	25/200	
KANDLE BULB - E14 (SCREW TYPE)									NEW
	2225BS05 WW	5W	3000K	>0.5	180°	>80	225.00	25/200	
	2225BS05 NW	5W	4000K	>0.5	180°	>80	225.00	25/200	
	2225BS05 CW	5W	6500K	>0.5	180°	>80	225.00	25/200	
KANDLE BULB - B22									NEW
	2228BU05 WW	5W	3000K	>0.5	180°	>80	200.00	25/200	
	2228BU05 NW	5W	4000K	>0.5	180°	>80	200.00	25/200	
	2228BU05 CW	5W	6500K	>0.5	180°	>80	200.00	25/200	
	2228BU05 RD	5W	Red	>0.5	180°	>80	215.00	25/200	
	2228BU05 GN	5W	Green	>0.5	180°	>80	215.00	25/200	
	2228BU05 BE	5W	Blue	>0.5	180°	>80	215.00	25/200	
	2228BU05 PK	5W	Pink	>0.5	180°	>80	215.00	25/200	



Introducing

KBALL

Full Dome Bulb

Delight your spaces with radiance that's uniform, bright and long-lasting. A reflection of finesse and impeccable style, these bulbs are brought to life to complement your stunning interiors and your exceptional taste.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	MRP ₹/U	Pack
KBALL FULL DOME BULB - B22								
	2230BU05 WW	5W	3000K	>0.9	240°	>80	170.00	50/200
	2230BU05 CW	5W	6500K	>0.9	240°	>80	170.00	50/200
	2230BU07 WW	7W	3000K	>0.9	240°	>80	175.00	50/200
	2230BU07 CW	7W	6500K	>0.9	240°	>80	175.00	50/200
	2230BU09 WW	9W	3000K	>0.9	240°	>80	205.00	50/200
	2230BU09 CW	9W	6500K	>0.9	240°	>80	205.00	50/200

NEW



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.
Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).



KATE

T-BULB

Experience a rare combination of brightness as well as the light being comfortable to your eyes. Even though the light spreads to a wider area compared to regular bulbs, still it is adjustable as you can turn it in any direction you like. What's more, the energy-efficient T-Bulbs can help you save on power consumption giving an output of 1100 lumens and is available in 10W.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KATE T-BULB - B22									
	2417TB10 WW	10W	3000K	>0.9	120°	>80	-	365.00	01/200
	2417TB10 CW	10W	6500K	>0.9	120°	>80	-	365.00	01/200

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.

Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).



Connecting
exceptional **brilliance**,
lighting up beauty.

Introducing

KOMET

BATTEN LIGHT



Aluminium Body


Introducing

KOSMIK

BATTEN LIGHT

Enjoy unvarying illumination across spaces and save on your energy bills too.

In addition, being lightweight, you don't need much manpower or accessories to fix these lights. Komet batten made with aluminium material is crafted to enrich your decor, these lights celebrate the very joy of life. The unique oval shape of Kosmik batten is sleek and easy to install.



Oval Shape

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KARIS BATTEN LIGHT									
	2402BA05 WW	5W	3000K	>0.9	120°	>80	290	430.00	01/25
	2402BA05 NW	5W	4000K	>0.9	120°	>80	290	430.00	01/25
	2402BA05 CW	5W	6500K	>0.9	120°	>80	290	430.00	01/25
 NEW	2402BA05 RD	5W	Red	>0.9	120°	>80	290	450.00	01/25
	2402BA05 GN	5W	Green	>0.9	120°	>80	290	430.00	01/25
	2402BA05 BE	5W	Blue	>0.9	120°	>80	290	430.00	01/25
	2402BA10 WW	10W	3000K	>0.9	120°	>80	575	455.00	01/25
	2402BA10 NW	10W	4000K	>0.9	120°	>80	575	455.00	01/25
	2402BA10 CW	10W	6500K	>0.9	120°	>80	575	455.00	01/25
 NEW	2402BA10 RD	10W	Red	>0.9	120°	>80	575	485.00	01/25
	2402BA10 GN	10W	Green	>0.9	120°	>80	575	485.00	01/25
	2402BA10 BE	10W	Blue	>0.9	120°	>80	575	485.00	01/25
KARIS TRIO 3-IN-1 COLOUR CHANGING BATTEN LIGHT									
	2402BA20 3-in-1	20W	3000K 4000K 6500K	>0.9	120°	>80	1130	650.00	01/20
NYX BATTEN LIGHT									
	2431BA20 WW	20W	3000K	>0.9	120°	>80	1120	475.00	01/25
	2431BA20 NW	20W	4000K	>0.9	120°	>80	1120	475.00	01/25
	2431BA20 CW	20W	6500K	>0.9	120°	>80	1120	475.00	01/25
	2431BA20 RD	20W	Red	>0.9	120°	>80	1120	515.00	01/25
	2431BA20 GN	20W	Green	>0.9	120°	>80	1120	515.00	01/25
	2431BA20 BE	20W	Blue	>0.9	120°	>80	1120	515.00	01/25
	2431BA20 PK	20W	Pink	>0.9	120°	>80	1120	515.00	01/25
KOSMIK OVAL BATTEN LIGHT									
	2415BA24 WW	24W	3000K	>0.9	120°	>80	1140	550.00	01/25
	2415BA24 NW	24W	4000K	>0.9	120°	>80	1140	550.00	01/25
	2415BA24 CW	24W	6500K	>0.9	120°	>80	1140	550.00	01/25
KOMET BATTEN LIGHT (ALUMINIUM HOUSING)									
	2216BA40 WW	40W	3000K	>0.9	120°	>80	1180	850.00	01/20
	2216BA40 NW	40W	4000K	>0.9	120°	>80	1180	850.00	01/20
	2216BA40 CW	40W	6500K	>0.9	120°	>80	1180	850.00	01/20

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.

Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).



KYTHE 1.0

STREET LIGHT



New generation, environment friendly and ultra-modern, these street lights provide wide area coverage and uniform brightness. Elegantly designed to supersede the electrical safety standards, these are safe, sturdy and enduring. Offering visual comfort while adding to street safety, these are a matchless blend of efficiency, durability and world-class quality.

	Code	Power	Colour Temp	Power Factor	Beam Angle	MRP ₹/U	Pack	
KYTHE 1.0 STREET LIGHT								NEW
	2411ST20 WW	20W	3000K	>0.9	120°	1700.00	01/20	
	2411ST20 CW	20W	6500K	>0.9	120°	1700.00	01/20	
	2411ST30 WW	30W	3000K	>0.9	120°	2400.00	01/10	
	2411ST30 CW	30W	6500K	>0.9	120°	2400.00	01/10	
	2411ST50 WW	50W	3000K	>0.9	120°	3400.00	01/10	
	2411ST50 CW	50W	6500K	>0.9	120°	3400.00	01/10	
	2411ST100 WW	100W	3000K	>0.9	120°	7000.00	01/05	
	2411ST100 CW	100W	6500K	>0.9	120°	7000.00	01/05	



Street Lights are IP66 Protected.





Introducing

KANON

STREET LIGHT

For a world that's effortlessly lit and radiant, Kolors brings to you Kanon Street Lights. High on functionality and efficiency these are made using finest materials and are sturdy and offer finest quality.

	Code	Power	Colour Temp	Power Factor	Beam Angle	MRP ₹/U	Pack	
KANON STREET LIGHT								NEW
	2432ST24 WW	24W	3000K	>0.9	120°	1600.00	01/20	
	2432ST24 CW	24W	6500K	>0.9	120°	1600.00	01/20	
	2432ST36 WW	36W	3000K	>0.9	120°	2200.00	01/10	
	2432ST36 CW	36W	6500K	>0.9	120°	2200.00	01/10	
	2432ST50 WW	50W	3000K	>0.9	120°	3000.00	01/10	
	2432ST50 CW	50W	6500K	>0.9	120°	3000.00	01/10	



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

Street Lights are IP66 Protected.

KARIS

FLOOD LIGHT



Crafted to offer optimum and efficient brightness, these are best suitable to be used outdoor or in events. The sturdy metal body makes it tough and durable while its cutting-edge technology makes it energy-efficient and long-lasting. The use of the finest materials and absolute precision in conceiving the product ensures uniform and consistent brightness.

	Code	Power	Colour Temp	Power Factor	Beam Angle	MRP ₹/U	Pack
KARIS FLOOD LIGHT							
	2402FL30 WW	30W	3000K	>0.9	120°	2600.00	01/05
	2402FL30 CW	30W	6500K	>0.9	120°	2600.00	01/05
	2402FL50 WW	50W	3000K	>0.9	120°	3500.00	01/05
	2402FL50 CW	50W	6500K	>0.9	120°	3500.00	01/05
	2402FL100 WW	100W	3000K	>0.9	120°	6500.00	01/05
	2402FL100 CW	100W	6500K	>0.9	120°	6500.00	01/05
	2402FL150 WW	150W	3000K	>0.9	120°	10000.00	01/05
	2402FL150 CW	150W	6500K	>0.9	120°	10000.00	01/05



Flood Lights are IP66 Protected.



Introducing

KANON

FLOOD LIGHT



Setting the right mood and tone to all your occasions, Kanon Flood Lights are bright, sturdy and stylish. Illuminating each area uniformly, these offer world-class quality and functionality that's matchless.

	Code	Power	Colour Temp	Power Factor	Beam Angle	MRP ₹/U	Pack
KANON FLOOD LIGHT							
	2432FL20 WW	20W	3000K	>0.9	120°	1800.00	01/05
	2432FL20 CW	20W	6500K	>0.9	120°	1800.00	01/05
	2432FL20 RD	20W	Red	>0.9	120°	1950.00	01/05
	2432FL20 GN	20W	Green	>0.9	120°	1950.00	01/05
	2432FL20 BE	20W	Blue	>0.9	120°	1950.00	01/05
	2432FL30 WW	30W	3000K	>0.9	120°	2250.00	01/05
	2432FL30 CW	30W	6500K	>0.9	120°	2250.00	01/05
	2432FL30 RD	30W	Red	>0.9	120°	2450.00	01/05
	2432FL30 GN	30W	Green	>0.9	120°	2450.00	01/05
	2432FL30 BE	30W	Blue	>0.9	120°	2450.00	01/05
	2432FL50 WW	50W	3000K	>0.9	120°	3100.00	01/05
	2432FL50 CW	50W	6500K	>0.9	120°	3100.00	01/05
	2432FL100 CW	100W	3000K	>0.9	120°	5400.00	01/05
	2432FL100 WW	100W	6500K	>0.9	120°	5400.00	01/05
	2432FL150 WW	150W	3000K	>0.9	120°	8000.00	01/05
	2432FL150 CW	150W	6500K	>0.9	120°	8000.00	01/05
	2432FL200 WW	200W	3000K	>0.9	120°	12000.00	01/05
	2432FL200 CW	200W	6500K	>0.9	120°	12000.00	01/05

NEW

**ROBUST
DESIGN**

**GREEN
PRODUCT**

**SUPERIOR
CRI**

**ENERGY
SAVER**

**MAINTENANCE
FREE**

**ZERO
MERCURY**

Flood Lights are IP66 Protected.



Get mesmerized by **enchanting brightness.**

Bright lights play an important role in our overall well-being, it's important to have the right lights that offer uniform brightness in our spaces. Our stunning range of LED lightings are the right blend of innovation and science and cater to varied requirements. These are designed specifically to illuminate your spaces incredibly and lift your mood.

Disclaimer

- Actual products may vary from the product shown in this catalogue.
- Due to the very nature of the basic raw material - due to environmental/climatic/ temperature/lot to lot variation etc. reasons, their finish and colour may vary from piece to piece, which is beyond the Company's control.
- The data provided here are indicative & may be revised without prior intimation.
- All specifications are based on standard test conditions in Laboratory at standard temperature and pressures.
- Kolors logo is trademark & property of Kolors India Private Limited. Misuse of any intellectual property, or any other content displayed herein is strictly prohibited.
- All Kolors products must be opened and repaired exclusively by personnel trained and approved by Kolors. Any unauthorized opening or repair completely cancel all liabilities and rights to replacement and warranties.
- The Company will not be liable for damages arising due to incorrect installation.
- Any attempt made to rectify, dismantle or alter the product may lead to electrical shock or may destroy the product for which the company is not responsible. The Company is also not responsible for any consequential loss or damage or installation costs arising out of the same.
- The Company undertakes to replace or repair products at its discretion should they become defective solely as a result of faulty materials or workmanship. Warranty of any kind becomes invalid if the product has not been installed or maintained in accordance with the Company's instruction, or in any attempts has been made to rectify, dismantle or alter the product and does not extend to cover consequential loss or damage or installation costs arising from the defective product.
- Limitation of liability: Company shall not be liable for any special, indirect, incidental or consequential damages what so ever including but not limited to loss of profit, revenue or data (whether or indirect or commercial loss for breach of any express or implied warranty on your product even if the Company has been advised of the possibility of such damages).
- The Company reserves the right to modify or change the product design and specification in the future without prior intimation. Similarly, colours and finishes are also liable to change without any prior intimation.

Terms & Conditions

- This cancels all our previous price lists.
- This price list is subject to change without prior notice.
- The MRP rates are inclusive of all taxes.
- Warranty policy subject to change without prior notice.



make
life
better



KOLORS INDIA PRIVATE LIMITED

401, Vastu Prestige, Sundarban Complex
Link Road, Andheri (W), Mumbai - 400 053

TOLL FREE: 1800 221 470

EMAIL: sales@kolorsworld.com

Follow us on:    

kolorsworld.com